

1                   **MODULAR BUSINESS TRANSACTIONS PLATFORM**

2                   **BACKGROUND OF THE INVENTION**

3                   The present invention relates to a financial transaction system and method, and  
4 more particularly, to a network-based system and method for billing and payment.

5                   Recently, there has been an increase in the popularity of performing financial  
6 transactions using the Internet as a centralized network for linking the individual financial  
7 systems of a plurality of entities transacting business with one another. With the recent  
8 explosion in e-commerce, the increasing acceptance of the Internet as a less expensive  
9 and more efficient way of doing business, and the advent of new server technology and  
10 sophisticated online security systems, Internet-based financial transactions are becoming  
11 ever more common. Advantageously, an Internet-based financial transaction system for  
12 bill presentment and payment may reduce many of the transaction costs associated with  
13 other financial transaction systems, such as preparation costs, banking fees, and costs for  
14 clearing, reconciling and closing. Moreover, such a transaction system may seamlessly  
15 handle transactions from virtually any entity with Internet access, regardless of the nature  
16 of the business, geographic location, size, or trading currency, even those entities for  
17 which the costs of traditional invoicing, presentment and payment have traditionally been  
18 high.

19                  Traditionally, invoice presentment and bill payment procedures have required a  
20 capital outlay for the equipment to prepare and distribute each invoice, as well as collect  
21 and reconcile payment of the invoice. Additionally, there are costs and collection delays  
22 associated with the multiple steps required between multiple parties to effect invoice  
23 presentment and bill payment. Such steps may include the payee's preparation and

1 distribution of invoices by mail (which may take up to a week to reach payers) or  
2 electronically; one or more invoice approvals by individuals or departments within the  
3 payer's organization (e.g. a purchasing manager); invoice adjustment or dispute by other  
4 individuals or departments; payment authorizations by other individuals or departments;  
5 payment issuance, either electronically or by issuance of a paper instrument, such as a  
6 check, (again, typically by mail); receipt of payment at the payee's side, either by the  
7 payee, the payee's bank, a lockbox, or other payment receipt entity; and processing of the  
8 payment either at the payee's bank, at the payee's accounts receivable, or both. This  
9 entire process may take several weeks, and requires separate accounting records to be  
10 kept and harmonized at both the payer's (accounts payable) and payee's (accounts  
11 receivable) sides, and/or within other decentralized recordkeeping systems.

12       There are further costs and collection delays associated with any adjustments to  
13 the invoice that may be made by either the payer or the payee. When an adjustment is  
14 made within one recordkeeping system, the adjustment must be communicated to the  
15 other system(s) so that a corresponding adjustment can be made. For example, an invoice  
16 adjustment made by the payer results in the payer's entry of an adjusted invoice amount  
17 into its accounts payable, as well as the payer's mailing a copy of a manually-adjusted  
18 invoice to the payee, so that the payee can update its accounts receivable.

## 19                   **SUMMARY OF THE INVENTION**

20       In a system consistent with the invention, a plurality of modular business objects  
21 may be selectable by the user of a payer system for execution (e.g. invoice review,  
22 invoice adjustment, and invoice payment). The business objects may generate extensible  
23 markup language (XML) calls to a database interface, which may interact with the

1 database and return XML responses to the business objects. Invoices may be batch loaded  
2 onto the database from biller systems, and payer systems may receive notification by e-  
3 mail that an invoice has been issued, so that they may subsequently effect payment  
4 electronically. Thus, multiple parties may no longer need to exchange paper or electronic  
5 documents for invoicing and payment. Instead, a financial transaction system consistent  
6 with the invention may allow payers and billers to view invoice data via either a standard  
7 web browser (in which case appropriate HTML/XML translations may be made) or a  
8 custom application, and to print paper documents derived from those records, as  
9 necessary, and use those electronic records to update individual accounting systems,  
10 depending on legacy or other requirements.

11 In one embodiment, an electronic bill presentment and payment system consistent  
12 with the invention comprises at least one biller system and at least one payer system in  
13 communication with a payment processing system. The payment processing system  
14 comprises a database including global information relating to the biller system and the  
15 payer system, and an application server for storing at least one modular business object  
16 containing specified instructions to govern financial transactions between the biller  
17 system and the payer system based on the global information. The application server  
18 permits replacement of a business object with another modular business object containing  
19 other specified instructions using the same global information.

20 In another embodiment, at least one business object contains specified  
21 instructions for modifying the global information, and the application server permits  
22 replacement of a business object with another modular business object containing other  
23 specified instructions for modifying the same global information.

1 In method form, a method for electronic bill presentment and payment comprises:  
 2 storing global information relating to a biller system and a payer system; storing at least  
 3 one modular business object containing specified instructions to govern financial  
 4 transactions between said biller system and said payer system based on said global  
 5 information; permitting said biller system and/or payer system to access said at least one  
 6 business object for executing a financial transaction; and permitting replacement of said  
 7 business object with another modular business object containing other specified  
 8 instructions using the same said global information.

#### 9 **BRIEF DESCRIPTION OF THE DRAWINGS**

10 Figure 1 is a block diagram of an electronic bill presentment and payment system  
 11 consistent with the present invention;

12 Figure 2 is a flowchart illustrating an exemplary fundamental operation of one of  
 13 a plurality of web servers in one embodiment of the invention;

14 Figure 3 is a flowchart illustrating an exemplary operation of the application  
 15 server in one embodiment of the invention;

16 Figure 4 is a flowchart illustrating an exemplary invoice loading operation in one  
 17 embodiment of the invention;

18 Figure 5 is a workflow diagram illustrating exemplary host user operations in one  
 19 embodiment of the invention;

20 Figure 6 is a workflow diagram illustrating exemplary biller system operations in  
 21 one embodiment of the invention;

22 Figure 7 is a workflow diagram illustrating exemplary biller system  
 23 administration operations in one embodiment of the invention;

1           Figure 8 is a workflow diagram illustrating exemplary payer system operations in  
2 one embodiment of the invention;

3           Figure 9 is a workflow diagram illustrating exemplary payer system  
4 invoice/payment operations in one embodiment of the invention;

5           Figure 10 is a workflow diagram illustrating exemplary payer system reporting  
6 operations in one embodiment of the invention; and

7           Figure 11 is a workflow diagram illustrating exemplary payer system  
8 administration operations in one embodiment of the invention.

## 9           **DETAILED DESCRIPTION OF EXEMPLARY EMBODIMENTS**

### 10           **Exemplary Bill Presentment and Payment System**

11           Figure 1 illustrates an electronic bill presentment and payment system 10  
12 consistent with the present invention. System 10 includes at least one biller system 12, at  
13 least one payer system 14, at least one business service provider system 16, and a  
14 payment processing system ("ASP") 18, in communication with one another via a  
15 network 20. The network 20 may be a TCP/IP compliant network, such as the Internet.  
16 It should be appreciated that each of the biller system 12, payer system 14, business  
17 service provider system 16 and ASP 18 (also referred to herein as "workstations") may be  
18 remotely located from each other and may be controlled by separate entities.  
19 Alternatively, permutations of each of the biller system 12, payer system 14, business  
20 service provider system 16 and ASP 18 may be commonly controlled and/or located at a  
21 single entity.

22           More specifically, the biller system 12 and payer system 14 may interface with  
23 the ASP 18 via a web browser or other TCP/IP compliant software. The biller system 12

1 and payer system 14 may comprise computing devices with appropriate network interface  
 2 hardware and software for establishing a TCP/IP session with a web server 30 at the ASP  
 3 18 and for executing an application for interfacing with the web server 30. The  
 4 application may be typical HTML Internet web browser software, such as Netscape  
 5 Navigator™ or Microsoft Internet Explorer™, which is capable of receiving HTML  
 6 documents from the web server 30 and returning HTTP posts to the web server 30. The  
 7 application may alternatively be one or more direct real-time or batch-controlled  
 8 interfaces accessing real-time TCP/IP or other network type sockets.

9 The business service provider system 16 may be an exchange or other service  
 10 bureau application providing a plurality of business processing services to its clients  
 11 (which may include the biller system 12 and/or payer system 14). One such business  
 12 processing service may be electronic bill presentment and payment, as may be provided  
 13 using a system and/or method consistent with the invention. In such a configuration,  
 14 from the point of view of the service provider system 16, the ASP 18 may be a back end  
 15 system for performing such bill presentment and payment portions of the overall services.  
 16 The service provider system 16 may communicate with the ASP 18 utilizing data files  
 17 with a predefined format to assure that the content of such data files may be recognized  
 18 by the intended hardware and/or software. In one embodiment, the predefined format is  
 19 an extensible markup language (XML) schema and the data files are XML messages.  
 20 Utilizing the Internet 20, the service provider system 16 and the ASP 18 may establish a  
 21 TCP/IP session and exchange XML messages.

22 It should be appreciated that, in an alternative embodiment, a biller system 12 or a  
 23 payer system 14 may operate an accounting system interface application rather than a

1 web browser. In this case, the biller system 12 or payer system 14 will communicate  
2 with the ASP 18 utilizing XML messages, and the XML communication may be similar  
3 to that which may occur between the ASP 18 and the service provider system 16. Such  
4 an accounting system interface application may enable the biller system 12 or payer  
5 system 14 to avoid manually reading data from an HTML document and manually re-  
6 entering into an accounting system. More specifically, the XML messages may be used  
7 to directly input content into the accounting system or, at a minimum, automatically  
8 populate content onto an accounting system data entry screen.

9 One or more web servers 30 may be located in a secured zone 22 between two  
10 routers 24, 26 serving as firewalls, one for protecting the internal private network 28 of  
11 the ASP 18 and one for blocking unauthorized Internet access. This zone 22 is often  
12 referred to idiomatically as a DMZ (i.e. "de-militarized zone"). It is noted that one or  
13 more firewalls may be placed between any one of a number of components of the present  
14 invention for security purposes. In this standard firewall configuration of a DMZ 22, the  
15 web servers 30 may be coupled to the Internet 20 by a first router 24 and coupled to a  
16 private network 28 by a second router 26. On the "front end", the web servers 30 may  
17 establish the TCP/IP sessions and communicate with the biller systems 12, payer systems  
18 14, and business service provider systems 16, as described above. On the back end, the  
19 web servers 30 may use XML messages to make remote processing calls (RPCs) to an  
20 application server 32 (described hereinbelow in further detail) and may receive XML  
21 response messages to such calls. An invoice loader 34 (described hereinbelow in further  
22 detail) may be provided for transmitting batch input to a database server 36, which may  
23 store invoice and other financial, transactional, or non-financial data. Those skilled in the

1 art will recognize that such data may be generated by one of any number of billing  
2 systems, e.g., SAP, Oracle Financials, JD Edwards, People Soft, Great Plains, etc. The  
3 data outputted by these billing systems and input into the system may come in a variety  
4 of formats including raw data, print file format, and X-12 ANSI 810 (EDI). The database  
5 server 36 may include a database application 35 (described hereinbelow in further detail)  
6 for reading and writing to the raw data stored on the magnetic media of the database.

### 7 Web Server

8 With reference to the flowchart of Figure 2 in conjunction with Figure 1, an  
9 exemplary fundamental operation of a web server 30 in accordance with one embodiment  
10 of this invention is shown. A TCP/IP session may be established at step 40 with a remote  
11 client, which includes appropriate exchanges of passwords and/or other authentication  
12 messages to verify that the remote client has authorized access. Clients may be either  
13 workstations which interface with the server 30 using a browser interface, or,  
14 alternatively, software clients which interface with the server 30 using XML messages.  
15 Step 42 represents a determination as to whether the remote client is operating a web  
16 browser or whether the client is operating an XML enabled application. If the remote  
17 client is operating a web browser, the server 30 may send out an initial HTML document  
18 to the client at step 48. This initial document may be the main menu page that the  
19 operator at the remote client might expect to see immediately after logging onto the  
20 system utilizing the browser. The server may then receive an HTTP post from the remote  
21 client at step 50 and, in response to such HTTP post, build an XML message for making  
22 a remote processing call to the application server 32 at step 52. More specifically, the  
23 XML message is based on the content of the post and a predetermined schema for the



1 function that the operator of the remote client has requested via the HTTP post. For  
 2 example, if the operator had selected to view a list of open invoices from the HTML  
 3 menu document, the server might build an XML message for requesting open invoices  
 4 from the application server 32 based on the schema for viewing a list of open invoices in  
 5 response to the HTTP post.

6 Step 54 represents the server making an XML remote processing call to the  
 7 application server 32 utilizing the XML message. An XML response message may be  
 8 received back from the application server 32 at step 56. The web server may then utilize  
 9 the content of the XML response message to build an HTML document to send to the  
 10 remote client in response to the remote client's HTTP post at step 58. More specifically,  
 11 each web server 30 may include a style sheet database 52 that stores style sheets for  
 12 various documents that may be sent to remote clients and may provide different style  
 13 sheets for the same document based on different clients. As such, the branding, look and  
 14 feel, and layout of documents may be varied on a client-by-client basis. The step of  
 15 building an HTML document may therefore also include selecting a style sheet  
 16 corresponding to the remote client and combining the style sheet with the content of the  
 17 XML response message to build the HTML document. The HTML document may then  
 18 be sent to the remote client at step 59, and, returning to step 50, another HTTP post may  
 19 be received and the foregoing steps repeated for that HTTP post.

20 Alternatively, if at step 42 the remote client is determined to be a client utilizing  
 21 an XML enabled application instead of a web browser, the web server may send an initial  
 22 XML message to the remote client at step 60. The web server may then receive an XML  
 23 message from the remote client at step 62 and validate the XML message at step 64. If

1 necessary, the content may be transformed into an XML message compliant with the  
2 schema needed for making a remote processing call to the application server at step 67 if  
3 it did not validate at step 64.

4 The schema-compliant XML message may then be used to make the remote  
5 processing call to the application server at step 66. At step 68, a response XML message  
6 may be received from the application server, and, at step 70, the response XML message  
7 may be returned to the remote client. Thereafter, returning to step 62, another XML  
8 message may be received and the foregoing steps may be repeated.

9 It should be appreciated that the above description represents an exemplary  
10 process utilized for interacting with each remote client. In operation, the server may be  
11 operating with a plurality of remote clients simultaneously and/or utilizing a multi-  
12 tasking based operating environment. Furthermore, a plurality of web servers 30, each  
13 communicating with a plurality of different clients, may each be capable of making XML  
14 calls to the application server 32 to perform the above described functions.

#### 15 Application Server

16 The application server 32 may perform the main processing of the business  
17 functions carried out by the ASP 18. The application server 32 may operate within a  
18 hardware and software environment. The software environment may comprise a plurality  
19 of applications that may be object-oriented and/or table-driven, whereby new products,  
20 applications, modules and/or transaction types may easily be integrated. Such software  
21 components may include, e.g., an operating environment 41 (e.g. Microsoft Windows  
22 NT<sup>TM</sup>, Windows 2000<sup>TM</sup>, or Sun Solaris<sup>TM</sup>), transaction processing software (e.g.  
23 Microsoft Transaction Server<sup>TM</sup>), communications software, database tools (e.g.

1 RogueWave™), query and/or reporting software (e.g. Seagate's Crystal Reports™), a  
 2 database interface 33, a message parser/builder 51, a business function selection object  
 3 38, one or more business objects 37, and/or one or more other applications, which may be  
 4 table-driven. As described hereinbelow with respect to Figure 3, the message  
 5 parser/builder 51 may verify access levels of clients accessing the web servers 30, as well  
 6 as verify the format of XML messages and build appropriate messages to pass to the  
 7 appropriate selection objects 37 for execution.

8         The transaction processing software may be a component-based transaction  
 9 processing application for developing, deploying, and managing high performance,  
 10 scalable, and robust enterprise, Internet, and intranet server applications, which defines  
 11 an application programming model for developing distributed, component-based  
 12 applications and provides a run-time infrastructure for deploying and managing these  
 13 applications. A clustering application may optionally be provided for load balancing and  
 14 fail-over services to cluster distributed application servers into a single, high-  
 15 performance, highly available environment of application server resources, thereby  
 16 avoiding bandwidth, latency, and congestion problems and providing multi-server  
 17 scalability for unlimited concurrent user access. The query and/or reporting software may  
 18 be an application or object providing for an environment in which client reports and file  
 19 download formats are easily customizable. One or more business objects 37 or  
 20 applications may reside on the application server 32, such business objects 37 or  
 21 applications being the components that perform the central transactional functions of the  
 22 server 32. The business objects may receive XML messages in a predefined format and  
 23 return XML response messages in a predefined format. Menus of options (as shown in

1 Figures 5-1 and described hereinbelow) may be made available to the client by the  
2 message parser/builder 51 (or, as those skilled in the art will recognize, by one of any  
3 number of components of the invention, e.g., selector or another business object).

4 As discussed hereinbelow, exemplary business objects may include an object for  
5 reviewing invoices, an object for making adjustments to invoices, and an object for  
6 initiating invoice payment. One or more of any of the foregoing described applications  
7 may access the database server 36 via the database interface 33 and/or database  
8 application 35 for purposes of retrieving and modifying its data. Other applications may  
9 be provided, consistent with the provision of billing, payment, or other financial or non-  
10 financial services. For example, an e-mail notice application may be provided for  
11 sending e-mail notices of the invoices to one or more payer systems 14 which are set up  
12 to receive e-mail notices. While the foregoing components of the application server 32  
13 may be referred to herein as "applications", "modules", "components", "interfaces",  
14 and/or "objects", it should be understood by those skilled in the art that such labels  
15 should not be construed in any way to be limitations. Any of the components of the  
16 application server 32 may comprise machine-readable programming code embodied in a  
17 tangible medium, e.g., Java beans. Depending on whether the embodiment of the  
18 invention is object-oriented, such components may or may not be formal objects. A table  
19 at the end of this Detailed Description lists exemplary objects and corresponding XML  
20 messages in one embodiment of the invention. It is noted that the business objects of the  
21 present invention should be modular, i.e., functionality may be added to, deleted from, or  
22 modified in the system by adding or removing business objects. Thus, each business  
23 object should be constructed with expected input and output data only, as though it were



1 The message may then be passed to the selection object 37, which may pass the message  
 2 to the appropriate business object 37 for execution.

3 A business function selection object 38 may then make a call at step 74 to the  
 4 appropriate business object 37 associated with the XML call. The selected business  
 5 function object may execute and generate at step 76 XML calls to the database interface  
 6 33. The database interface 33, in turn, may utilize predefined instructions at step 78 for  
 7 directing the database server 36 to access and/or write data into the database tables. In  
 8 one embodiment, the predefined instructions may be a group of instructions, e.g., SQL  
 9 calls. It is noted, however, that the business function objects 37 may not directly perform  
 10 the SQL calls at step 78. The database interface 33 object may exist so that the relational  
 11 structure of the database 36 may be modified without modifying each of the business  
 12 function objects 37. Each database relational structure may merely need to be defined in  
 13 a database structure file (not shown) that may be used by the database interface 33 object  
 14 to structure the appropriate SQL calls for execution at step 78. A response to the SQL  
 15 call may then be received at step 80 from the database 36. A single XML call at step 76  
 16 from a business function object 37 may cause the database interface 33 object to initiate  
 17 several SQL calls at step 78. Therefore, if more than one SQL call is necessary (as  
 18 determined at step 90), a plurality of such calls may be initiated at step 78, as necessary,  
 19 and the corresponding responses may be received at step 80. Once the database interface  
 20 33 object has completed the SQL calls at step 78, it may build (at step 82) and return (at  
 21 step 83) a response XML message to the business function object 37. The response XML  
 22 message may then be received at step 84 by the business function object 37. A business  
 23 function object 37 may need to initiate several XML calls to the database interface 33

1 object during performance of the selected business function, at step 76. Therefore, if  
2 more than one XML call is necessary (as determined at step 85), a plurality of such calls  
3 may be initiated at step 76, as necessary, and the corresponding database calls may be  
4 generated (at step 78) and may be received (at step 80), and appropriate XML responses  
5 may be built (at step 82), returned (at step 83), and received (at step 84). Once the XML  
6 calls to the database interface have been completed at step 76, (i.e. the business function  
7 has been completed), the business function object 37 may build a response XML message  
8 at step 86 and may return the XML response message to the web server 30 at step 88, and  
9 the foregoing steps repeated for a subsequent XML remote processing call which may be  
10 received at step 72.

#### 11 Invoice Loader

12 With reference to the flowchart of Figure 4, which illustrates an exemplary  
13 invoice loading operation in one embodiment of the invention, in conjunction with Figure  
14 1, the general invoice loader 34 operation will now be described. The invoice loader 34  
15 module may provide batch input to the database 36. This may be useful because many  
16 enterprise accounting systems may export an invoice file on a periodic basis. The batch  
17 invoice file may then be sent at step 100 to the invoice loader module 34 via one of any  
18 number of means 53, e.g., as an e-mail attachment, FTP load, an EDI VAN (value added  
19 network), or another private network link. Therefore, the invoice loader module 34 may  
20 include a network interface (not shown) for coupling to the Internet and may include one  
21 or more private network interfaces (not shown) for coupling to EDI VAN's or other  
22 private network interfaces. Each of these network interfaces may be a network card, or  
23 may comprise such other hardware and software as may be appropriate to effect the

1 network interconnection. Alternatively, the invoice loader module 34 may couple only to  
 2 a local area network 28 at the processing facility (i.e. at the geographic location of the  
 3 ASP 18), and one or more routers 24, 26 in the DMZ 22 may serve to couple the invoice  
 4 loader 34 to the Internet 20 and to each private network, as may be appropriate.

5       Once the invoice loader module 34 receives the invoice file at step 102, it may  
 6 verify that the file is in the appropriate invoice loader format at step 104. Typically, the  
 7 biller may be responsible for running the necessary translation program to convert the  
 8 invoice file from the biller's accounting system to the invoice loader format. However, it  
 9 may be possible for the file to arrive at the invoice loader module in the accounting  
 10 system format, in which case the invoice loader module may then identify the accounting  
 11 system format and run an appropriate translation program at step 106 to convert to  
 12 invoice loader format. Exemplary formats from which invoices may be loaded include  
 13 ANSI X12 810, flat ASCII files, or well formed XML schemas.

14       Once the invoice file is in the invoice loader format, the invoice loader module 34  
 15 may enter the invoices into the database 36 at step 108 and may, if appropriate, send out  
 16 e-mail notices at step 114 to one or more payer system 14 users indicating that an  
 17 invoice is available. To this end, the invoice loader module 34 may therefore include an  
 18 invoice loader application 39. The invoice loader application 39 may make appropriate  
 19 calls to a database application 35 for loading the invoices. More specifically, the  
 20 database application 35, which may run on the database server 36 (or, alternatively, on  
 21 the application server 32), may provide for the raw data stored on the magnetic media to  
 22 be logically accessible in a relational database table format. Predefined instructions for  
 23 accessing and writing data into the tables may be sent to the database application 35. In



1 one embodiment, the predefined instructions may be a group of instructions, e.g., SQL  
2 calls. The invoice loader application 39 may therefore execute appropriate SQL calls for  
3 writing the invoice data to the database 36.

4 Once the invoice data is in the database 36, e-mail notices of the invoices may be  
5 sent out to one or more payer system 14 users who are set up to receive e-mail notices at  
6 step 114. An e-mail notice application 31 may be provided on the application server 32  
7 for making appropriate SQL calls to the database 36. Such calls may be made for  
8 purposes of detecting new invoices at step 110, as well as determining, based on the  
9 identity of the payer, if an e-mail notice is required, at step 112. More specifically, the e-  
10 mail notice application 31 may search the database 36 for a flag or other identifier of a  
11 new invoice, and then, for each new invoice, may obtain data from a payer's profile  
12 indicating whether an e-mail notice is appropriate, and if appropriate, the address to  
13 which the e-mail notice should be sent. The e-mail notice application 31 may then send  
14 the e-mail. Alternatively, the e-mail notice application 31 may run on the invoice loader  
15 module 39 instead of running on the application server 32.

#### 16 Database Server

17 The database server 36 may be an OLTP (on-line transaction processing) system,  
18 embodied in a server, such as Microsoft SQL Server 7<sup>TM</sup>, Oracle 8<sup>TM</sup>, Sybase Adaptive  
19 Server R12<sup>TM</sup>, DB2<sup>TM</sup>, Informix<sup>TM</sup>, or another ODBC-compliant database. The database  
20 server 36 may be configurable for sharing with other applications, including access by a  
21 report writer application, and may comprise a distribution and replication protocol (DRP)  
22 device. A backup database server (not shown) may also be provided, wherein some or all  
23 of the data on the database server may be mirrored to the backup database server. In this

1 configuration, in the event an application performing a transaction on the database server  
2 experiences failure, the application may start at the backup server location and proceed  
3 from the point of failure, thereby preserving transaction integrity.

4 The database 36 may be a relational database, i.e., data management technology  
5 modeled such that all data is organized as though it is formatted into tables, with the table  
6 columns representing the table's fields or domains and the table rows representing the  
7 values of the table's fields or domains. Data between tables may be related to one  
8 another, using, for example, pointer data. Data may be logically organized as tables but  
9 not necessarily physically stored as such. The database interface 33 may access and  
10 update data via a language interface or "structured query language" (SQL) calls. The  
11 database 36 may comprise a relational database where the payer and biller profiles  
12 (which may include access control data and/or dispute rules) may be related between  
13 payer systems 14 and biller systems 12. The message parser/builder 51 may retrieve  
14 access control data from the database 36 when a workstation client logs on. Similarly,  
15 business service provider profiles may be stored in the database 36 and may include  
16 access control data for one or more business service providers 16.

17 Invoice data stored on the database 36 may include invoice-specific data received  
18 from the biller 12 each time the biller 12 sends an invoice to the ASP 18. Such data may  
19 include, e.g., the identity of the biller and payer, invoice line items, and settlement and  
20 payment options. Biller profile data may be stored on the database 36 and may include  
21 items that a biller 12 need only enter once, and may change only periodically thereafter.  
22 Such items may include dispute rules and access levels for each biller workstation with

1 system access. The dispute rules may be payer-specific or may be may applied globally  
2 to all payers.

3 Payer profile data may be stored on the database 36 and may include items that a  
4 payer 14 need only enter once, and may change only periodically thereafter. Such items  
5 may include access levels for each payer logon ID (referred to as a payer workstation)  
6 with system access.

### 7 Client Types

8 In one embodiment, two client types may access the ASP 18, a workstation client  
9 (e.g. a browser) interfacing with the system 18 utilizing HTML documents and HTTP  
10 posts, and a software client interfacing with the system 18 utilizing XML messages.

11 Both billers and payers may comprise workstation clients, and the message parser/builder  
12 51 may present different work flow options to each via menus. Host (or “administrator”)  
13 users and help desk users may be biller or payer workstations having access levels which  
14 are a subset of all access options available to the biller or payer. Host users (who may be  
15 affiliated with a business service provider system) may control most non-invoice related  
16 data and functionality. A biller system user may control invoice related data and  
17 functionality associated with a specific billing company. A payer system user may have  
18 specific functionality associated with all related invoice transactions to the paying  
19 company. Help desk users may be provided access to the system in order to troubleshoot  
20 users’ questions.

21 Host users (also referred to herein as “administrators”) may configure and  
22 maintain the system. A single SuperUser account may be established for each installation  
23 of the system. The SuperUser may be pre-configured with the system and have all

1 permissions allowed. The SuperUser may create additional host users with a subset of  
2 their permissions. Host users may act as system administrator, whose role is to manage  
3 users in the system, handle database administration, monitor system activity, manage  
4 enrollment and handle system error conditions.

5 A host user may create a biller system and one or more biller administrator users  
6 associated with such biller system. This action may bind the specific biller system user to  
7 the invoices associated with the biller. Additional biller system users may be created by  
8 the biller administrator.

9 Similarly, A host user may create a payer system and one or more payer  
10 administrator users associated with such payer system.

11 A help desk user may be a hybrid type of user. The help desk user may manage  
12 technical support issues. This user may log in as any biller or payer system user and use  
13 the system as if they were actually that user. The application may disallow any changes  
14 made by this user from being committed to the database. The help desk user may be  
15 created by a host administrator or SuperUser. A user created as a help desk user may  
16 only perform the help desk functionality, with all other system functionality being  
17 disabled.

18 A help desk user may log on to the system through the standard logon page with  
19 their own user ID and password. The help desk user may then be immediately presented  
20 with the standard logon page, where he or she will then log on with the user ID of the  
21 person he or she is helping and the help desk user's password. Upon a successful log on,  
22 the help desk user may be connected as if he or she were the actual user, without the  
23 ability to modify any data.

## Login and Access

The application server 32 may authenticate each client via a logon process, and each client may have a specific set of access levels for performing certain functions, which may be a subset of all of the functions available to the particular biller, payer or business provider. The message parser/builder 51 may maintain a table of access levels for each client which is currently logged into the system. With respect to transaction requests, when an HTTP post is received from a workstation or an XML message is received from an application client, the message parser/builder 51 may only build the XML message from the HTTP (or pass the XML message received) if the client has appropriate access levels. With respect to responding to a transaction request, the message parser/builder 51 may control the clients' work flow and limit the menu choices which appear in the outbound XML message to those that would be available as next steps in the work flow for the particular client.

The system may permit a user (i.e. the operator of a biller, payer or business service provider workstation) to gain access by clicking on a "login" button on the initial screen, or by going directly to the logon URL without having to navigate through the initial pages by simply entering the full URL in the browser, "bookmarking" the page, or using a "favorites"-type feature of the browser. The system may present the user with a logon page, wherein he or she must specify a valid user ID and password to gain access. If an invalid ID or password is entered, the user may be told that an invalid ID/password was entered. In one embodiment, if a user enters a valid user ID and an invalid password five times in a row, the system may "disable" the user ID (i.e. the system 18 will not present the workstation defined by the ID with other system options until another

1 workstation, with appropriate access levels, performs a function to reset the “disabled”  
2 account). If, after this period, the user enters a valid ID and password, the system may  
3 display a message indicating that their account has been disabled.

4       Alternative authentication methods may include any method of verifying the  
5 identity of a user or a component of the invention and may include a security mechanism  
6 such as one or more of a digital signature, a PIN number, a password, a smart card, or a  
7 “master” or “challenge” key. In one embodiment of the invention, an XML script may  
8 create a Java applet that monitors the active application and interacts with a separate  
9 security server residing within the application server. The Java applet may be  
10 configurable to interrupt the current application to prompt for authentication, such as by a  
11 digital signature, a PIN number, a password, or a master key, and to communicate with  
12 the security server to effect the authentication. If the security operation is successful, the  
13 application may continue without interruption; otherwise, the application may be  
14 terminated according to the XML script. Alternatively, the foregoing process or a part  
15 thereof may be used for transferring data between any two components in an embodiment  
16 of the present invention, including those external to the invention, such as an end user, a  
17 client, a financial institution, a back office, an administrator, an e-mail or fax recipient, or  
18 a server. One or more of the foregoing security operations may be implemented using  
19 application security middleware, such as Ubizen’s MultiSecure™ ETS, MultiSecure™  
20 ASE, or MultiSecure™ WAC. Further security means may comprise one or more of the  
21 following: password or PIN number protection, use of a semiconductor, magnetic or  
22 other physical key device, biometric methods (including fingerprint, nailbed, palm, iris,  
23 or retina scanning, handwriting analysis, handprint recognition, voice recognition, or

1 facial imaging), or other log-on security measures known in the art. Password protection  
2 may include certain validity requirements upon establishing a password, e.g., disallowing  
3 more than two consecutive characters in a password, disallowing the same password for a  
4 minimum of six consecutive password changes, and/or disallowing more than one user-  
5 initiated password change per day. Passwords may be set to expire after a certain number  
6 of days, and an inactive user account may be set to expire or become disabled after a  
7 certain number of days of nonuse.

8 Following logon, as described above, a user may be presented with predetermined  
9 work flow options based on the access levels available for his or her particular  
10 workstation.

#### 11 Security

12 Point-to-point data communications over the Internet may be handled by secure  
13 sockets between the web server 30 and client 12, 14, 16. Exemplary protocols used may  
14 include Netscape's Secure Socket Layer (SSL) or secure HTTP. As those skilled in the  
15 art will recognize, other embodiments of the invention may include one of any number of  
16 methods for two-way data encryption and/or digital certification for data being input to  
17 and output from the web server 30, to provide security to data during transfer. In  
18 particular, an algorithm such as Triple DES may be used to encrypt such data as account  
19 numbers, credit card numbers, tax ID numbers and/or passwords.

#### 20 Host User Workflow

21 Figure 5 illustrates an exemplary host user workflow in one embodiment of the  
22 system. When a user logs in 501 to the system using the user ID of a host user, the  
23 system may display a host administration or "welcome" page 502. The system may

display the user's name at the top in the form of a "Welcome 'Username'" message, for personalization. The system may display a host administration page containing host statistics and a list of "action items" with current counts and links to the corresponding pages. Such counts may include biller count, payer count, enrollment request count, connected user count, invoice load error count, total invoice count, and paid invoice count. The system may calculate these reported statistics at the time the active user logs on to the system and/or may update these statistics in real time. As part of reporting these statistics, a query tool may be integrated into the system to generate pre-formatted reports. The system may permit the host user to return to this page by clicking on a link that may be present on every page during system access. One area of the screen may contain navigation buttons grouped into categories, e.g., administration 503 and reports 504. The system may permit these categories to be expanded into subcategories that modify another portion of the screen. One area of the navigation frame may contain the user name (not the user ID) who is logged on. The system may permit clicking on this link to modify the user's basic profile information, which the system may store as global information on the database.

The system may permit a host user to select an option to edit payers 507, wherein the system may permit the administrator to add, modify, or delete payers from an edit payer page 508. A payer may be a company that does business with one or more billers in the system. Each payer system may have one or more users that will have certain permissions. The edit payer page 508 may contain a list of current payers in the payers list box. When an administrator selects a payer, the system may display information for that payer in the company information section. The system may permit an administrator



1 to add information for a new payer in the company information section and select “add”  
2 to add the new payer. The system may permit company data to be entered for the  
3 following exemplary fields, which the system may store as global information on the  
4 database: name, “division”, address, city, state, zip, country, SIC code, TIN, and  
5 organization type. The system may require the company name plus “division” to be  
6 unique. The system may permit modify and delete operations to be performed on the  
7 currently selected payer. The system may require fields for company information, such  
8 as name and phone. The system may display the list of payers and permit search and  
9 find operations, next and previous page navigation, first letter selector navigation, and  
10 scrolling navigation, in order to effectively display large numbers of payers.

11 The system may provide a user list box, which may be populated with the selected  
12 payer system’s user names. As the administrator clicks on each user in the list, the system  
13 may display the user’s information in the user information section. The system may  
14 provide an “edit users” option for directing the administrator to an “edit users” page, if  
15 the payer has been saved to the database. The system may provide an “edit users” page  
16 to allow the administrator to add, modify, or delete users associated with the current  
17 payer. This page may display the name of the payer at the top. The system may permit  
18 the host user to select an option to edit the active user profile 505, wherein the system  
19 may direct the host user to a page 506 displaying the organization name of the host, biller  
20 or payer at the top, to establish the context of the current edit. The system may permit  
21 information to be maintained and edited at this page, which the system may store as  
22 global information on the database, including, e.g., last name, first, middle, phone, fax, e-  
23 mail, e-mail2, user id, password, confirmation, language, currency and privilege group.

1 The system may require certain fields for user information, such as last name, first name,  
2 e-mail and phone. The system may provide a reset password button to reset the selected  
3 user's password to the default setting (e.g. user's last name). The system may also permit  
4 the administrator to add a new user to the current payer by entering information into the  
5 user information section and selecting "add". The system may require the combination of  
6 last name, middle initial and first name to be unique. The system may permit modify and  
7 delete operations to be performed on the currently selected user. The system may  
8 provide a checkbox for temporarily deactivating a user. The system may automatically  
9 send an e-mail to a new user after they have been added, informing them of how to  
10 connect and logon to the system. The system may not permit a host user to set  
11 permissions. The system may permit a host user to create biller or payer system  
12 administrator users, both of whom may be afforded all permissions.

13 The system may permit the host user to select an option to edit billers 509,  
14 wherein the system may permit the administrator to add, modify, or delete billers from an  
15 edit biller page 510. A biller may be a company that does business with one or more  
16 payers in the system. Each biller system may have one or more users that will have  
17 certain permissions. The edit biller page 510 may contain a list of current billers in the  
18 biller list box. When an administrator selects a biller, the system may display the  
19 information for that biller in the company information section. The system may permit  
20 the administrator to add information for a new biller in the company information section  
21 and select "add" to add the new biller. The system may permit company data to be  
22 entered for the following exemplary fields, which the system may store as global  
23 information on the database: name, address, city, state, zip, country, SIC code, TIN, and

1 default template type. The system may require that the company name be unique. The  
2 system may permit modify and delete operations to be performed on the currently  
3 selected biller. The system may require certain fields for company information, such as  
4 name and phone.

5 The system may permit a host user to select an option to edit biller websites and  
6 logos, directing the user to a biller website and logo page 511. The system may display a  
7 list of billers, and upon selection of a biller from the list, the system may populate the  
8 company information area with details about the current biller. For each biller, the  
9 system may permit a list of company logos and websites to be edited. The system may  
10 make new logos available to the system with an “add” button which uploads the logo file,  
11 and may likewise permit logos to be removed from the system with a “remove” button.  
12 The system may display a list of websites via a listbox containing the sites and a site  
13 details edit area. Upon selection of a website in the list, the system may populate the site  
14 details section. The system may permit the URL, description, and type of website to be  
15 edited. The system may provide a delete button for removing a site from the list. The  
16 system may provide a save button to save the current website. The system may provide a  
17 new site button for emptying the edit area to allow a new site to be entered and saved.  
18 The system may provide selectable links for accessing the biller’s enrollment page and  
19 biller profile page. The system may be adapted to store logo and website data as global  
20 information on the database.

21 As described above with respect to users associated with payers, the system may  
22 provide a user list box, which the system may populate with the selected biller system’s  
23 user names, and the system may provide an “edit users” option for directing the user to an





1           The system may permit a host user to select an option 514 to change security  
2 information, in which case the system may permit administrator, biller and payer security  
3 settings to be modified at one or more user security/privilege pages 515. In the various  
4 privilege pages, the system may permit the privilege group to be entered and presented in  
5 the local language. The system may present the list of functional access permissions in  
6 the language of the active user.

7 For changing privilege information relating to host administrators, the system may permit  
8 administrator privilege groups to be defined and edited. The system may display a list of  
9 available permissions, the permissions being inherited from the active user currently  
10 logged on. The system may provide a listbox containing all defined administrator  
11 privilege groups, wherein selecting a previously defined group may cause the system to  
12 populate the list with the corresponding settings. The system may provide an “all” button  
13 for setting all permissions when selected, and a “none” button for clearing all permissions  
14 when selected. The system may permit add, modify and delete operations to be  
15 performed on the current privilege group. The following list may be representative of  
16 exemplary permissions that may be set for host administrators: create new billing entities;  
17 create/maintain new biller system administrators; activate new biller system  
18 administrators; create new paying entities; create/maintain new payer system  
19 administrators; activate new payer system administrators; create/maintain new host  
20 administrators; maintain biller-payer relationships; reset biller/payer system administrator  
21 user passwords; maintain adjustment codes; edit mailing lists; and run canned reports.

22           For changing privilege information relating to billers, the system may permit  
23 biller permissions to be defined and edited. The system may display a list of available

1 permissions, the permissions being inherited from the active user currently logged on.  
 2 The system may provide a listbox containing all defined biller privilege groups, wherein  
 3 selecting a previously defined group may cause the system to populate the list with the  
 4 corresponding settings. The system may provide an “all” button for setting all  
 5 permissions when selected, and a “none” button for clearing all permissions when  
 6 selected. The system may permit add, modify and delete operations to be performed on  
 7 the current privilege group. The following list may be representative of exemplary  
 8 permissions that may be set: create/maintain new biller system users; activate biller  
 9 system users; create/maintain new biller system administrator users; reset user passwords;  
 10 maintain adjustment codes; edit biller bank holidays; edit biller/payer agreements; edit  
 11 mailing lists; and run canned reports.

12 For changing privilege information relating to payer system users, the system may  
 13 permit payer permissions to be defined and edited. A list of available permissions may  
 14 be displayed, the permissions being inherited from the active user currently logged on.  
 15 The system may display a listbox containing all defined payer privilege groups, wherein  
 16 selecting a previously defined group may cause the system to populate the list with the  
 17 corresponding settings. The system may provide an “all” button for setting all  
 18 permissions when selected, and a “none” button for clearing all permissions when  
 19 selected. The system may permit add, modify and delete operations to be performed on  
 20 the current privilege group. The following list may be representative of exemplary  
 21 permissions that may be set: create/maintain new payer system users; activate new payer  
 22 system users; create/maintain new payer system administrators; reset user passwords;  
 23 maintain adjustment codes; edit payer bank holidays; edit biller/payer agreements; edit

1 mailing lists; and run canned reports. The system may be adapted to store any of the  
2 foregoing permission data as global information on the database.

3         The system may permit a host user to select a “load invoices” option 516 for  
4 being redirected to a page 517 for performing a manual load of selected invoice files or  
5 controlling the automatic loading times of biller uploads. The load invoice page 517 may  
6 contain a list of current billers in a billers list box. When an administrator selects a biller,  
7 the system may use files found in the directory or subdirectories used for invoice loading  
8 associated with the selected biller to populate the invoice files list box. The system may  
9 permit the host user to select one or more files from the invoice files list box and select an  
10 option for loading them at that time, which may force the system to load the selected  
11 invoice files immediately. After the process is complete, the system may display any  
12 error information that occurred during processing may on this page. The system may  
13 handle the automatic loading of invoices through a scheduling interface.

14         The system may permit a host user to select a “host profile” option 505, which  
15 may direct the user to a host profile page 506 for allowing the host’s profile information  
16 and payment method information to be edited. The system may allow data to be entered  
17 for the following exemplary fields, which the system may be adapted to store as global  
18 information on the database: name, address, city, state, zip, country, phone, number, fax  
19 number, and maximum invoice amount allowed. The system may use the maximum  
20 invoice amount allowed field to establish a threshold for a maximum payment for a single  
21 invoice. The system may permit invoice values that exceed this amount to be loaded  
22 into the system but not to be paid through the system. The system may also permit  
23 payment method information to be modified at this page, i.e. the system may permit the



1 administrator to define the payment methods that the host has currently enabled. The  
 2 system may display a payment methods area consisting of two listboxes, an available  
 3 methods box containing all the payment methods that are currently unassigned by the  
 4 host, and an enabled methods box containing all the methods the host has enabled. The  
 5 system may provide two buttons to allow methods to be transferred from box to box. The  
 6 system may provide save and cancel buttons at the payment methods area. Exemplary  
 7 available payment methods may include ACH debit, credit card/procurement card, and  
 8 paper check.

9       The system may permit the host user to select a reports option 504, which may  
 10 cause the system to display subcategories that correspond to the available reports.  
 11 Exemplary reports the system may generate may include: access report 521; invoice load  
 12 and error reports 522; invoice payment reports 523; bottomline payment reports 524;  
 13 analyze RDBMS (Relational Database Management System) 525; review performance  
 14 statistics 526; and activity report 527. Activity report 527 may cause the system to detail  
 15 the following exemplary activities: create new biller/payer; create new contacts;  
 16 add/remove biller-payer relationships; edit biller bank holidays; edit biller/payer profiles;  
 17 reset biller/payer system administrator passwords; add/edit adjustment codes; edit  
 18 mailing lists; edit contact info; create new logins for contacts; edit login info;  
 19 disable/enable logins; and help desk login. The system may permit the user to select  
 20 from among various reporting options and/or filters 528 (which the system may be  
 21 adapted to store as global information on the database), and the system may then generate  
 22 a report and permit the user to view and/or print it at a report page 529.

1 Other functionality which the system may provide for the host user includes a  
 2 password change selection 530, which may cause the system to direct the user to a  
 3 password change routine 531; a help selection 533, which may cause the system to direct  
 4 the user to a help routine 534; and a logout routine 550.

5

### 6 **Biller System Workflow**

7 Figure 6 illustrates an exemplary biller system workflow in one embodiment of  
 8 the system. When a user logs in 601 to the system using the user ID of a biller, the  
 9 system may display a biller system administration or “welcome” page 602. The system  
 10 may display the user's name at the top in the form of a "Welcome 'Username'" message,  
 11 for personalization. The system may display at a biller system administration page key  
 12 biller statistics and a list of “action items” with current counts, amounts in local currency  
 13 and links to the corresponding pages, as well as information about the basic functionality  
 14 of the main topics. The system may also display at this page information provided by the  
 15 administrative user regarding how to contact the administrative user. The current counts  
 16 may include total invoices, closed invoices, paid invoices, unpaid invoices, and adjusted  
 17 invoices. The system may provide a selection to the user for filtering and/or sorting the  
 18 counts. The system may permit the biller system user to return to this page by clicking  
 19 on a link that may be present on every page during system access. One area of the screen  
 20 may contain navigation buttons grouped into categories, e.g., administration 603  
 21 (discussed further hereinbelow at “Biller System Administration”), invoices/payments  
 22 680, and reports 604. The system may expand these categories into subcategories that  
 23 modify another portion of the screen. One area of the navigation frame may contain the

1 user name (not the user ID) who is logged on. The system may allow the user to click on  
2 this link to modify his or her basic profile information. The system may provide  
3 other functionality, including a “help” button 650 for directing the user to a help section  
4 651 and a “logout” button 652 for logging the current user out of the system.

5 The system may allow the biller system user to select an option to edit the active  
6 user profile, wherein the system may direct the biller system user to a page displaying the  
7 organization name of the biller at the top, to establish the context of the current edit. The  
8 system may permit information to be maintained and edited at this page and may store  
9 the information as global information on the database, e.g., last name, first, middle,  
10 phone, fax, e-mail, e-mail2, password and confirmation. The system may require certain  
11 fields for user information, including last name, first name, e-mail and phone. The system  
12 may include this information in e-mails which may be sent through the system and may  
13 also make this information available to biller and payer system administrators.

14 The system may permit a biller system user to select an option 605 to display  
15 invoices based on selected criteria and/or specify general search criteria for listing  
16 invoices. Depending on the selection, the system may direct the user to a “view options”  
17 page 606 for filtering and sorting. The system may provide a view options page 606 to  
18 allow the user control over the subset of data that will be displayed and the order in  
19 which the data will be presented. To further facilitate the presentation of invoices, the  
20 system may permit settings associated with a specific report to be automatically saved  
21 and used again the next time the user generates the report. Considering the time it may  
22 take to generate certain reports (e.g. lengthy reports), the system may also provide an  
23 option to bring this page up before running a report, to limit the scope and time. The

1 view options page may consist of three exemplary areas: filter, sort and options. In the  
 2 filter area, the system may provide the following exemplary choices: by date (past due,  
 3 eligible for discount, due within xxx days); and by status (paid invoices, adjusted  
 4 invoices, unpaid invoices, paid through another source); and by payer (all payer, specific  
 5 payer); and by attribute range between xxx and yyy (none, invoice numbers, store /  
 6 location, purchase orders, purchase request number, invoice issue dates, dollar amount,  
 7 bill of lading numbers, receiving location zipcodes, invoice aging). The system may also  
 8 provide the ability to search for invoice number, store or location number, routing  
 9 number and P.O. number, by using wildcards. The system may provide a sort area to  
 10 allow returned results to be sorted in ascending or descending order according to the  
 11 following exemplary criteria: due date, invoice number, invoice date, purchase order  
 12 number, net amount due, store or location number, and invoice aging. In one  
 13 embodiment, the system may allow sorting criteria and order to be determined by a sort  
 14 order combo box, which may default to ascending, and three sort criteria boxes, the first  
 15 of which defaults to due date, while the rest default to no sort criteria (spaces). The  
 16 system may provide an options area with the following exemplary choices: display all in  
 17 one page or show count (with the default being all in one page), remember and use  
 18 previous settings, and show view options page before presentation. The system may be  
 19 adapted to store filter, sort, and options data as global information on the database.

20 The system may allow a biller system user to select an option to display a page  
 21 607 for listing invoices matching specified criteria. The system may display at this screen  
 22 the filter/sort criteria that are in use for this display. The system may display invoices  
 23 using a paging concept (i.e. 1 – 20 of 362). When displaying invoices, the system may

- 1 remove any existing navigation area, so as to optimize the invoice display area. In one  
2 embodiment, the system may display a page separated into two sections, with the header  
3 section containing non-scrolling data and/or buttons and the body section that scrolls as  
4 necessary, depending upon the width of the browser window and the number of invoices  
5 being displayed. The header section may contain the following elements:
- 6 • The user's selection criteria, i.e., All Invoices – Past due.
  - 7 • The display range text in the format of first – last of maximum, i.e., 1-20 of 200.
  - 8 • "Next 'n'" may cause the system to navigate the user to the next "n" invoices, i.e.,  
9 "Next 20". If the last "n" invoices are currently being displayed the system may  
10 disable the "Next" button.
  - 11 • "Previous 'n'" may cause the system to navigate the user to the previous "n" invoices,  
12 i.e., "Previous 20". If the first "n" invoices are currently being displayed the system  
13 may disable the "Previous" button.
  - 14 • "All" may cause the system to change the mode from displaying a page of invoices to  
15 displaying all invoices, and the system may label the button "Page", i.e., 1-200 of  
16 200. If the "Page" button is selected, the system may display at this page the first "n"  
17 invoices, and system may label the button "All".
  - 18 • "Back" may cause the system to return to the previous screen, step, or function.
  - 19 • "Search" may cause the system to perform a search in the current invoice list by using  
20 the "Find" feature. The system may permit only the invoices currently being  
21 displayed to be searched. The system may allow the user to type a string to search for  
22 before selecting the "Search" button. The system may search each invoice may for the  
23 specified string. If a match is found, the system may scroll the invoice record into

view and select the text found. Selecting “Search” again may cause the system to find the next instance of the string. The system may permit wildcard searches.

- “Show Selected” may cause the system to display all invoices that have been manually checked. In the last column of the invoice list, the system may allow a user to select individual invoices. While the user remains on this page, the system may maintain in a list all invoices that are marked as selected. If the user switches the context of this view, the system may not remove any selection made by the user. Clicking on the “Show Selected” button may cause the system to display all the invoices the user has selected. The system may change this button to either “Page” or “All”, depending on the state of the selection when this button was pressed. Selecting this button again may cause the system to return the invoice list to its previous mode. The system may display all selected invoices, even if they exceed the page limit.
- “Close” 608 may cause the system to mark as closed all invoices that are selected. The system may display to the user a confirmation message before the invoices are closed, e.g., “You have selected 24 invoices to close. Are you sure you want to close these invoices?” The system may not permit closed invoices to appear in any active queries. The system may subject invoices that are marked as closed to host archiving and purging criteria.
- “Paid Through Another Source” may be provided by the system as an option for the biller system user to mark an invoice as closed by selecting desired invoices and clicking on the “Paid through another source” button. Once this occurs, the system may, for the invoices in question, update their audit trail to reflect that they were paid outside the system, and then change their status to “Closed”.







1 date; and unconditional discount or charge. The system may provide a shipping info  
2 button 615, which may cause the system to display additional shipping information for  
3 this invoice in a separate browser window 625, including, e.g., ship to location, date  
4 shipped, carrier, bill of lading number, terms, units, unit code, weight, volume, package  
5 dimensions, package contents, and notes. The system may provide a notes button 617 for  
6 opening a separate browser window 627 containing a list of entered notes for this invoice.  
7 In the separate browser window, the system may permit the user to enter new notes into a  
8 new note textbox and save them by clicking an “add note” button. Clicking a “cancel”  
9 button may cause the system to return the user to the invoice detail page, discarding any  
10 new notes. The system may automatically log adjustment notes and biller disputes as  
11 notes for the current invoice. The system may provide an e-mail button 613 for opening  
12 a separate browser window 623 with a new e-mail referencing the selected invoice. The  
13 system may permit the user to enter an e-mail message to selected users about the current  
14 invoice. The system may permit e-mail to be sent to the recipients that are picked from  
15 the recipients list, the contents of which may be based on the e-mail distribution list set  
16 up by the payer system administrator. The system may provide a status button 614 for  
17 opening a separate browser window 624 displaying a page containing the status history  
18 for the selected invoice, including, e.g., date / time, user ID, and user name and status.  
19 The system may further provide adjustment buttons, e.g., general adjustment 618,  
20 quantity adjustment 619, price adjustment 620, and allowance 621, at the invoice detail  
21 610 section. The system may permit a general adjustment button 618 to be selected to  
22 open a separate browser window 628 containing general adjustment information for this  
23 invoice. This information may be read-only and may include the following exemplary

1 items of information: adjustment amount, reason code, and notes. The system may  
 2 permit a quantity adjustment button 619 to be selected for a specific invoice line item to  
 3 open a separate browser window 629 containing quantity adjustment information for that  
 4 line item. This information may be read only and may include the following exemplary  
 5 items of information: adjustment quantity, reason code, and notes. The system may  
 6 permit a price adjustment button 620 to be selected for a specific invoice line item to  
 7 open a separate browser window containing price adjustment information for that line  
 8 item. This information may be read only and may include the following exemplary items  
 9 of information: new price, reason code, and notes. The system may permit an allowance  
 10 button 621 to be selected for a specific invoice line item to open a separate browser  
 11 window 631 containing allowance information for that line item. This information may  
 12 be read only and may include the following exemplary items of information: allowance  
 13 amount, reason code, and notes.

14       The system may make other options available to the biller system user for  
 15 selection, e.g. an items button for displaying the invoice details in item view. The system  
 16 may, upon selection of such an button, remove the header from the invoice details and all  
 17 but the net amount due field of the footer, thereby allowing more screen space to be used  
 18 for the presentation of invoices. The system may provide a search function for  
 19 performing a search in the current invoice list. The system may permit only the invoices  
 20 currently being displayed to be searched. The system may allow the user to type a string  
 21 to search for before selecting the “Search” button. The system may search each invoice  
 22 may for the specified string. If a match is found, the system may scroll the invoice record  
 23 into view and select the text found. Selecting “Search” again may cause the system to

1 find the next instance of the string. The system may permit wildcard searches. The  
2 system may provide clickable line numbers in the items view line, whereby upon clicking  
3 a line item's number, the system may expand the line to show its invoices, and clicking a  
4 particular adjustment may cause the system to bring up a window with details about that  
5 specific adjustment.

6 The system may permit the biller system user to select an option 608 to retrieve  
7 all closed invoices in the system subject to the criteria set in the view options page and  
8 may provide the additional option of restoring selected invoices that have been closed  
9 into the current collection. The system may move invoices that have been checked to the  
10 open state when the user selects an "open" button.

11 The system may permit the biller system user to select an option 632 to export  
12 files, i.e. to download data directly from the server, bypassing the need to have the data  
13 flow through a transmission to the biller system user. Selecting the export files option  
14 632 may cause the system to direct the user to the invoice export section 633, from which  
15 the user may either edit export templates or export files. Upon selection of edit export  
16 templates, the system may allow the biller system user to edit the templates used in file  
17 export. An export templates listbox may show the present export templates while a  
18 template settings area may contain all the attributes and settings of the current selected  
19 template. Upon selection of a template from the export templates listbox, the system may  
20 populate the fields of the template settings area. In this area, the system may allow the  
21 biller system user to add, modify, or delete file export templates by using a set of buttons  
22 or controls. The set of invoices to be exported may be based on the invoices that are  
23 being viewed at the time export is chosen. The system may permit the user to set that

1 filter through the filter/sort page. The template settings area may contain the following  
2 exemplary controls (which the system may be adapted to store as global information on  
3 the database): fields and export order (may contain a listbox of the available invoice  
4 fields and an ordered listbox of fields marked for export with two buttons for moving  
5 fields between listboxes; up and down buttons may allow the field export order to be  
6 changed); and file formats (a listbox that allows the file format to be selected; if ASCII is  
7 chosen a delimiter section may be displayed and the user may need to select field and  
8 record delimiters). The system may provide a “set default” button for allowing the user  
9 to set the current template as the default template for the file export page. Upon selecting  
10 file export, the system may allow the biller system user to export invoices based on an  
11 export template. In the templates listbox, the system may show the present export  
12 templates while the export range may allow the user to select the date range criteria for  
13 including invoices in the export. In the templates list, the system may default to the  
14 template set as default from the edit export templates page; if no default template was set,  
15 the system may select the first entry in the listbox. An “export” button may cause the  
16 system to perform the file export, while a “cancel” button may cause the system to abort.  
17 The system may be adapted to export files in such exemplary formats as 810 for invoices,  
18 820 for payments, XML, delimited files, and fixed-length PayBase™ compatible files.

19 The system may permit the biller system user to select a reports option 604, which  
20 may cause the system to display subcategories that correspond to the available reports.  
21 Exemplary reports may include: paid invoices 641, total invoices 642, adjusted invoices  
22 643, pending invoices 644, closed invoices 645, credit notes 646, and statistics 647.  
23 Other exemplary reports may include cashflow forecasting, aged outstanding invoice,

1 returned items, modified invoice history, biller profile maintenance, payment history, and  
2 outstanding invoice status. The system may permit the user to select from among various  
3 reporting options and/or filters 648 (which the system may be adapted to store as global  
4 information on the database), and the system may then generate a report 649 for viewing  
5 and/or printing.

### 6 **Biller System Administration Workflow**

7 Figure 7 illustrates an exemplary biller system administration workflow in one  
8 embodiment of the system. From the administration 700 screen, the system may permit a  
9 biller system administrator to select from among functions including, e.g., edit biller  
10 profile 701, archive/purge 710, edit banks 702, edit users 703, edit event e-mails 704, edit  
11 payers 705, adjustments 706, edit export template 733, and password/profile change 735.

12 Upon selection by the biller system administrator of the edit biller profile 701  
13 function, the system may redirect the biller system administrator to a biller profile section  
14 707 for editing the biller's profile information. The system may permit company data to  
15 be entered and/or edited for the following exemplary fields (which the system may be  
16 adapted to store as global information on the database): name, address, city, state, zip,  
17 country, SIC code, TIN, and default template type. From the biller profile section 707,  
18 the system may permit the biller system administrator to select a function for editing  
19 logos and websites, which may cause the system to direct the administrator to a logo and  
20 website editing page 708, wherein the administrator may edit the biller's logos and  
21 available websites (which the system may be adapted to store as global information on  
22 the database). The system may display a list of billers, and the selection of a biller from  
23 the list may cause the system to populate the company information area with details about

1 the current biller. For each biller, the system may permit a list of company logos and  
2 websites to be edited. The system may permit new logos to be made available to the  
3 system with an “add” button for uploading the logo file, and the system may likewise  
4 permit logos to be removed from the system with a “remove” button. The system may  
5 display a list of websites via a listbox containing the sites and a site details edit area.  
6 Selecting a website in the list may cause the system to populate the site details section.  
7 The system may permit the URL, description, and type of website to be edited. The  
8 system may provide a delete button for removing a site from the list and a save button for  
9 saving the current website. The system may provide a new site button for emptying the  
10 edit area to allow a new site to be entered and saved. The system may provide selectable  
11 links for accessing the biller’s enrollment page and biller profile page. The system may  
12 permit the administrator to select a template editing function, which may cause the  
13 system to direct the user to a template editing section 709. In the template editing section,  
14 the system may permit one or more predetermined, customizable and/or selectable  
15 template schema (which the system may be adapted to store as global information on the  
16 database) to be established and/or edited to format the biller detail, and the system may  
17 provide a single biller multiple templates from which to select.

18 The system may permit the administrator to select an archive/purge 710 function,  
19 wherein the system may direct the administrator to an archive/purge section 711. In this  
20 section, the system may permit the administrator to select functions for archiving (which  
21 the system may be adapted to store as global information on the database), including  
22 archiving data to a separate table, modifying options controlling when archiving is to  
23 occur (e.g. if an invoice stays in the “Presented” or “Viewed” state for more than X days;

1 if an invoice stays in the “Paid” state for more than X days; and/or when an invoice is  
2 closed, it may be automatically archived); and reporting against archived data. The  
3 system may provide purging features (which the system may be adapted to store as global  
4 information on the database), including purging records only from the archive table(s);  
5 modifying options controlling when to purge (e.g. purge records after X days in archive;  
6 or manual purge).

7       Upon selection by the biller system administrator of the edit banks 702 function,  
8 the system may redirect the biller system administrator to a biller bank editing section  
9 712 for allowing the bank information associated with the biller to be edited. It is  
10 contemplated that a biller may have multiple banks with each bank having multiple bank  
11 accounts. An exemplary edit banks 712 section may be separated into two sections. In  
12 the first section, the system may display the following exemplary fields (which the  
13 system may be adapted to store as global information on the database): name, address,  
14 city, state, zip code, country, country#, account # and RTN. The system may utilize a  
15 MOD9 or similar algorithm to verify valid routing numbers. In a second section, the  
16 system may display for the selected bank a “holidays” list-box populated with all bank  
17 holidays associated with this bank. Selecting an existing bank holiday from this list box  
18 may cause the system to delete the entry. Selecting a delete button may cause the system  
19 to delete the selected bank holiday. The system may provide combo-boxes for month, day  
20 and year selection. Selecting an add button may cause the system to add the selected date  
21 to the holiday list-box. If a bank is added with, or is caused to have no holidays through  
22 later modification, the system may display a warning to the user.

1           The system may permit the administrator to select a “users” 703 function, wherein  
2   the system may direct the administrator to an edit user section 713. In this section, the  
3   system may permit the administrator to add, modify or delete users associated with the  
4   current biller. At this page, the system may display the name of the biller at the top to  
5   establish the context of the edit. The system may populate a list box with the selected  
6   biller system’s user names. As the administrator clicks on each user, the system may  
7   display the user’s information in a user information section. The system may permit the  
8   administrator to add a new user to the current biller by entering information into the user  
9   information section. The system may require that the combination of last name, middle  
10   initial and first name be unique. The system may permit modify and delete operations to  
11   be performed on the currently selected user. The system may provide a checkbox for  
12   temporarily deactivating a user. The system may maintain contact information (which  
13   the system may be adapted to store as global information on the database), including,  
14   e.g., last name, first, middle, phone, fax, e-mail, e-mail2, user ID, password,  
15   confirmation, language and privilege group. The system may require certain fields for  
16   user information, such as last name, first name, e-mail and phone. The system may  
17   provide a reset password button for resetting the selected user’s password to the default  
18   setting. The system may automatically send an e-mail to a new user after they have been  
19   added, telling the user how to connect and logon to the system. As described above with  
20   reference to the host user modifying privilege information, the system may similarly  
21   permit a biller system administrator to access a permissions section 715 for modifying  
22   permission/privilege information (which the system may be adapted to store as global  
23   information on the database).



1           Upon selection by the biller system administrator of the event e-mails 704  
2   function, the system may direct the biller system administrator to an event e-mail section  
3   714. In this section, the system may permit biller system users to be associated with  
4   specific system events, which associations the system may be adapted to store as global  
5   information on the database. Any time one of these specific events occurs, the system  
6   may generate an automatic e-mail and send it to the selected list of biller system users.  
7   For example, exemplary distribution list choices may include: invoices loaded  
8   successfully, invoices loaded unsuccessfully, invoice adjusted, payment authorized,  
9   payment canceled, payment completed, and payment notification. The system may  
10   display on this page a list-box that contains all biller system users currently in the  
11   selected distribution list and a list-box that contains all biller system users currently not in  
12   the selected distribution list. In one embodiment, the system may provide two buttons to  
13   allow users to be added or removed from the distribution list. The system may permit a  
14   default e-mail address to be set up for each event, e.g. the biller system administrator.  
15   The system may permit the user to remove this value and/or add to the list. The system  
16   may send an automatic e-mail to one or more biller system users when a payment is  
17   made. The system may send a summary of the payments made to each biller that has  
18   payments in the given payment run. The system may send to designated biller system  
19   users an e-mail with the following exemplary information: summary of payments made  
20   on today's date, payer name; payer number; total number of payments; and total amount  
21   of payments.

22           The system may further direct the biller system administrator, upon selection of  
23   the payers feature 705, to selections for performing tasks including options 716,

1 adjustments 717, close invoices 718 and e-mail 719. Selecting the options 716 task may  
2 direct the biller system administrator to a payer options 720 section, where options for a  
3 specific payer may be entered and/or edited. The system may display, at the payer  
4 options page, a list-box with all the payers related to the biller, with the system pre-  
5 selecting the most recently selected payer in this session by default. If no payer has  
6 previously been selected, then the system may not pre-select a payer in the list box. For  
7 the selected payer, the system may display the following exemplary payer options (which  
8 the system may be adapted to store as global information on the database): hide line items  
9 from invoice listing; allow payments; include signature; web site selection (which may be  
10 displayed using one or more multiple select listboxes); logo selection; payer ID; payment  
11 methods and account section (may cause the system to associate payment methods with  
12 biller account, and may include a set default button to establish the biller's default method  
13 and account); set default payment method and account; marketing message; legal text;  
14 and payer model. The system may provide a load default button to fill in all fields with  
15 the default entries. The system may provide a save default button to save the current  
16 entries as the default settings. Hitting the save button may cause the system to save the  
17 current payer's options, while hitting the cancel button may cause the system to discard  
18 any changes. Selecting the adjustments task may cause the system to direct the biller  
19 system administrator to an adjustments section 721, where the system may permit the  
20 administrator to establish adjustments available to a specific payer and establish an e-mail  
21 notification list. The system may provide a checkbox for enabling and disabling disputes.  
22 If disputes are enabled, the system may make available for selection in a listbox the  
23 adjustments that the biller will allow the payer system users to make. The system,

1 through the adjustments listbox, may enable the actual selection of adjustments available  
2 to the payer system users. The system may make all adjustments selected be available as  
3 long as the enable disputes checkbox is checked. The system may also provide a  
4 checkbox for e-mailing one or more biller system users on adjustments. If this option is  
5 selected, the system may enable a mailing list button for sending automatic e-mails. The  
6 system may send to designated biller system users an e-mail for each adjustment made  
7 with the following exemplary information: “the following adjustment was made by payer  
8 name on today's date”; payer number; invoice number; adjustment type; adjustment  
9 amount; and adjustment reason. If there is no address set up to receive this e-mail, the  
10 system may send an e-mail message by default to the biller system administrator. The  
11 system may permit a mailing list function 722 may be accessed by the biller system  
12 administrator for modifying mailing list settings (which may be stored as global  
13 information on the database). The system may provide a close invoice function 718 for  
14 directing the biller system administrator to a close invoice section 723 to establish  
15 invoice-closing criteria for each payer. The system may only permit invoices with the  
16 status of “paid”, “presented”, or “viewed” to be closed. All other invoice states may  
17 indicate payer workflow is in progress, and the system may not permit invoices having  
18 such states to be closed. At the payer invoice close page 723, the system may display a  
19 list-box with all the payers related to the biller, with the system pre-selecting the most  
20 recently selected payer in this session by default. If no payer has previously been  
21 selected, then the system may not pre-select a payer from the list-box. For the selected  
22 payer, the system may present invoice closing criteria. The system may process criteria  
23 entered during the next nightly sweep. The system may mark as closed invoices that meet

1 the closing criteria. Selecting the e-mail 719 task may cause the system to direct the  
2 biller system administrator to a payer e-mail 724 section for associating a list of biller  
3 system users with a specific payer (which associations the system may be adapted to store  
4 as global information on the database). At the payer e-mail page 724, the system may  
5 display a list-box with all the payers related to the biller. The system may pre-select the  
6 most recently selected payer in this session by default. If no payer has previously been  
7 selected, then the system may not pre-select a payer from the list-box. For the selected  
8 payer, the system may display a page having a list-box that contains all biller system  
9 users currently related to the payer and a list-box that contains all biller system users  
10 currently unrelated to the payer. The system may provide two buttons to allow users to be  
11 added or removed from the related list.

12 If the biller system administrator selects the adjustments 706 feature, the system  
13 may further direct the biller system administrator to selections for performing adjustment  
14 tasks including general 725, quantity 726, price 727, and line item allowance 728. When  
15 a new biller is created on the channel host, the system may give it a full set of the default  
16 adjustments for each of the four types (general, quantity, price, line item allowance).  
17 These system may permit these adjustments to be modified, added to, or deleted,  
18 allowing full customization by the biller. The system may provide a feature for restoring  
19 adjustments to the initial defaults. Selecting the general 725 button may cause the biller  
20 system administrator to be directed to a general adjustment codes page 729, wherein the  
21 system may permit global general adjustment codes to be edited. At this page 729, the  
22 system may display an adjustment list-box and an adjustment information area. The  
23 system may permit adjustments to be selected from the list-box to be edited or deleted.

1 The system may permit new adjustments to be added by selecting an add button. The  
2 system may make adjustments entered here available to all of the biller's payers in the  
3 system. Exemplary associated fields may include: code and description. Selecting the  
4 quantity 726 button may cause the system to direct the biller system administrator to a  
5 quantity adjustment codes page 730, wherein the system may permit global quantity  
6 adjustment codes to be edited. At this page 730, the system may display an adjustment  
7 list-box and an adjustment information area. The system may permit adjustments to be  
8 selected from the list-box to be edited or deleted. The system may permit new  
9 adjustments to be added by selecting an add button. The system may make adjustments  
10 entered here available to all of the biller's payers in the system. Exemplary associated  
11 fields may include: code, description, threshold amount (which may only be active if  
12 "user defined" is not selected), and a "user defined" checkbox. Selecting the price 727  
13 button may cause the system to direct the biller system administrator to a price  
14 adjustment codes page 731, wherein the system may permit global price adjustment  
15 codes to be edited. At this page 731, the system may display an adjustment list-box and  
16 an adjustment information area. The system may permit adjustments to be selected from  
17 the list-box to be edited or deleted. The system may permit new adjustments to be added  
18 by selecting an add button. The system may make adjustments entered here available to  
19 all of the biller's payers in the system. Exemplary associated fields may include: code,  
20 description, threshold amount (which may only be active if "user defined" is not  
21 selected), and a "user defined" checkbox. Selecting the line item allowance button 728  
22 may cause the system to direct the biller system administrator to a line item allowance  
23 adjustment codes page 732, wherein the system may permit global discount adjustment

1 codes to be edited. At this page 732, the system may display an adjustment list-box and  
 2 an adjustment information area. The system may permit adjustments to be selected from  
 3 the list-box to be edited or deleted. The system may permit new adjustments to be added  
 4 by selecting an add button. The system may make adjustments entered here available to  
 5 all of the biller's payers in the system. Exemplary associated fields may include: code,  
 6 description, amount (percentage), fixed or scaled, number of days, and a "penalty  
 7 assessed" checkbox.

8 The system may permit selection of an edit export templates 733 function for  
 9 allowing the biller system administrator to edit the templates used in file export in an edit  
 10 export template section 734. The system may display an export templates listbox  
 11 showing the present export templates. In the template settings area, the system may  
 12 display all the attributes and settings of the current selected template. Selecting a  
 13 template from the export templates listbox may cause the system to populate the fields of  
 14 the template settings area. In this area, the system may allow the biller system user to  
 15 add, modify, or delete file export templates by using a set of buttons or controls. The set  
 16 of invoices to be exported may be based on the invoices that are being viewed at the time  
 17 export is chosen. The system may permit the user to set that filter through the filter/sort  
 18 page. The template settings area may contain the following exemplary controls (which  
 19 the system may be adapted to store as global information on the database): fields and  
 20 export order (may contain a listbox of the available invoice fields and an ordered listbox  
 21 of fields marked for export with two buttons for moving fields between listboxes; via up  
 22 and down buttons, the system may allow the field export order to be changed); and file  
 23 formats (a listbox that allows the file format to be selected; if ASCII is chosen a delimiter

1 section may be displayed and the system may require the user to select field and record  
 2 delimiters). The system may provide a “set default” button for allowing the user to set  
 3 the current template as the default template for the file export page. By selecting file  
 4 export, the system may allow the biller system user to export invoices based on an export  
 5 template. In the templates listbox, the system may show the present export templates,  
 6 while, in the export range, the system may permit selection of the date range criteria for  
 7 including invoices in the export. In the templates list, the system may default to the  
 8 template set as default from the edit export templates page; if no default template was set,  
 9 the system may pre-select the first entry in the listbox. The system may provide an  
 10 “export” button for performing the file export and a “cancel” button for aborting.

11 The system may provide a password/profile change button 735 for directing the  
 12 biller system administrator to a password/profile change section 736 for changing  
 13 password and/or profile information.

#### 14 **Payer System Workflow**

15 Figure 8 illustrates an exemplary payer system workflow in one embodiment of  
 16 the system. When a user logs in 801 to the system using the user ID of a payer, the  
 17 system may display a payer system administration or “welcome” page 802. The system  
 18 may display the user's name at the top in the form of a "Welcome 'Username'" message,  
 19 for personalization. The system may display at a payer system administration page key  
 20 payer statistics and a list of “action items” with current counts, amounts in local currency  
 21 and links to the corresponding pages, as well as information about the basic functionality  
 22 of the main topics. The system may also display at this page information provided by the  
 23 administrative user regarding how to contact the administrative user. The current counts

1 may include invoices due today, invoices due tomorrow, invoices that will lose a discount  
2 today, invoices that will lose a discount tomorrow, invoices past due, invoices  
3 outstanding with adjustments, total invoices, verified invoices, initiated payments,  
4 authorized payments, and pending payments. The system may provide a selection to the  
5 user for filtering and/or sorting the counts. The system may display a biller list, which  
6 may include all billers that the payer has a relationship with in the system. The system  
7 may permit the payer system user to click on any biller to get a list of invoices from that  
8 biller. The system may permit the payer system user to return to this page by clicking on  
9 a link that may be present on every page during system access. One area of the screen  
10 may contain navigation buttons grouped into categories, e.g., invoices due today 803,  
11 invoices due tomorrow 804, invoices that will lose a discount today 805, invoices that  
12 will lose a discount tomorrow 806, invoices past due 807, outstanding invoices with  
13 adjustments 808, total invoices 809, and verified invoices 810, all of which may link to  
14 an invoice list page 821 to display the desired invoices. Other navigation buttons may  
15 include initiated payments 811 (which may link to the initiate payment page), authorized  
16 payments 812 (which may link to the authorize payment page), pending payments 813  
17 (which may link to the pending payments page), administration 814 (discussed further  
18 hereinbelow at “Payer System Administration”), invoices/payments 815, reports 816, and  
19 biller directory 817. The system may expand these categories into subcategories that  
20 modify another portion of the screen. One area of the navigation frame may contain the  
21 user name (not the user ID) who is logged on. The system may allow the user to click on  
22 this link to modify his or her basic profile information. The system may provide other



1 functionality, including a “help” button 818 for directing the user to a help section 819  
2 and a “logout” button 820 for logging the current user out of the system.

3 The system may allow the payer system user to select an option to edit the active  
4 user profile, wherein the system may direct the payer system user may be directed to a  
5 page displaying the organization name of the payer at the top, to establish the context of  
6 the current edit. The system may permit information to be maintained and edited at this  
7 page and may store the information as global information on the database, e.g., last  
8 name, first, middle, phone, fax, e-mail, e-mail2, password and confirmation. The system  
9 may require certain fields for user information, including last name, first name, e-mail  
10 and phone. The system may include this information in e-mails which may be sent  
11 through the system and may also make this information available to biller and payer  
12 system administrators.

13 If the payer system user selects invoices due today 803, invoices due tomorrow  
14 804, invoices that will lose a discount today 805, invoices that will lose a discount  
15 tomorrow 806, invoices past due 807, outstanding invoices with adjustments 808, total  
16 invoices 809, or verified invoices 810, the system may direct the payer system user to an  
17 invoice list page 821 for displaying invoices which meet the corresponding chosen  
18 parameters. At the invoice list page 821, the system may display to the payer system user  
19 invoices based on selected criteria and/or allow the payer system user to specify general  
20 search criteria for listing invoices. Depending on the selection, the system may direct the  
21 user to a “view options” page 822 for filtering and sorting. At the view options page 822,  
22 the system may allow the user control over the subset of data that will be displayed and  
23 the order in which the data will be presented. To further facilitate the presentation of

1 invoices, the system may automatically save settings associated with a specific report  
2 (which may be stored as global information on the database) and allow them to be used  
3 again the next time the user generates the report. Considering the time it may take to  
4 generate certain reports (e.g. lengthy reports), the system may also provide an option to  
5 bring this page up before running a report, to limit the scope and time. The view options  
6 page may consist of three exemplary areas: extract, sort and options. In the extract area,  
7 the system may provide the following exemplary choices: by date (past due, eligible for  
8 discount, due within xxx days); and by status (paid invoices, adjusted invoices, unpaid  
9 invoices, paid through another source); and by biller (all biller, specific biller); and by  
10 attribute range between xxx and yyy (none, invoice numbers, store / location, purchase  
11 orders, purchase request number, invoice issue dates, dollar amount, bill of lading  
12 numbers, receiving location zipcodes, invoice aging). The system may also provide the  
13 ability to search for invoice number, store or location number, routing number and P.O.  
14 number by using wildcards. The system may provide a sort area to allow returned results  
15 to be sorted in ascending or descending order according to the following exemplary  
16 criteria: due date, invoice number, invoice date, purchase order number, net amount due,  
17 store or location number, and invoice aging. In one embodiment, the system may  
18 determine sorting criteria and order by a sort order combo box, which may default to  
19 ascending, and three sort criteria boxes, the first of which may default to due date, while  
20 the rest may default to no sort criteria (spaces). The system may provide an options area  
21 with the following exemplary choices: define page size (for displaying invoices in a  
22 paging method), remember and use previous settings, and show view options page before

1 presentation. The system may be adapted to store extract, sort, and options data as global  
2 information on the database.

3 The system may allow a payer system user to select an option 821 to list invoices  
4 matching specified criteria. The system may display at this screen the filter/sort criteria  
5 that are in use for this display. The system may display invoices using a paging concept  
6 (i.e. 1 – 20 of 362). When displaying invoices, the system may remove any existing  
7 navigation area, so as to optimize the invoice display area. In one embodiment, the  
8 system may display a page separated into two sections, with the header section containing  
9 non-scrolling data and/or buttons and the body section that scrolls as necessary,  
10 depending upon the width of the browser window and the number of invoices being  
11 displayed. The header section may contain the following elements:

- 12 • The user's selection criteria, i.e., All Invoices – Past due.
- 13 • The display range text in the format of first – last of maximum, i.e., 1-20 of 200.
- 14 • "Next 'n'" may cause the system to navigate the user to the next "n" invoices, i.e.,  
15 "Next 20". If the last "n" invoices are currently being displayed the system may  
16 disable the "Next" button.
- 17 • "Previous 'n'" may cause the system to navigate the user to the previous "n"  
18 invoices, i.e., "Previous 20". If the first "n" invoices are currently being displayed  
19 the system may disable the "Previous" button.
- 20 • "All" may cause the system to change the mode from displaying a page of  
21 invoices to displaying all invoices and the system may label the button "Page",  
22 i.e., 1-200 of 200. If the "Page" button is selected, the system may display at this  
23 page the first "n" invoices, and the system may label the button "All".

- 1       • “Back” may cause the system to return to the previous screen, step, or function.
- 2       • “Search” may cause the system to perform a search in the current invoice list by
- 3       using the “Find” feature. The system may permit only the invoices currently being
- 4       displayed to be searched. The system may allow the user to type a string to search
- 5       for before selecting the “Search” button. The system may search each invoice for
- 6       the specified string. If a match is found, the system may scroll the invoice record
- 7       into view and select the text found. Selecting “Search” again may cause the
- 8       system to find the next instance of the string. The system may permit wildcard
- 9       searches.
- 10      • “Show Selected” may cause the system to display all invoices that have been
- 11      manually checked. In the last column of the invoice list, the system may allow a
- 12      user to select individual invoices. While the user remains on this page, the system
- 13      may maintain in a list all invoices that are marked as selected. If the user switches
- 14      the context of this view, the system may not remove any selection made by the
- 15      user. Clicking on the “Show Selected” button may cause the system to display all
- 16      the invoices the user has selected. The system may change this button may change
- 17      to either “Page” or “All”, depending on the state of the selection when this button
- 18      was pressed. Selecting this button again may cause the system to return the
- 19      invoice list to its previous mode. The system may display all Selected invoices,
- 20      even if they exceed the page limit.
- 21      • “Paid Through Another Source” may be provided by the system as an option for
- 22      the payer system user to mark an invoice as closed by selecting desired invoices
- 23      and clicking on the “Paid through another source” button. Once this occurs, the

1 system may, for the invoices in question, update their audit trail to reflect that  
2 they were paid outside the system, and then change their status to "Closed".

3 In the body section, the system may display all invoices in table format. The width of the  
4 table columns may be proportional to the width of the browser window. If the browser  
5 window is narrowed, the system may decrease column widths appropriately and wrap  
6 text within each column, as necessary. If an invoice has adjustments, the system may  
7 highlight that line in color to indicate this fact. The system may link the invoice number  
8 field to the invoice detail page. The system may link the status field to the invoice history  
9 page, at which the system may display a full status history for the selected invoice. By  
10 default, the system may display the following exemplary columns: biller name (and/or  
11 logo(s)), invoice number, due date, status, net amount due, amount to pay, and select. The  
12 payer system administrator may optionally elect to display additional columns (e.g., P.O.  
13 number, P.O. requisition number, store number) by setting them in the payer profile  
14 (which may be stored as global information on the database).

15 The system may permit the payer system user to select an option 823 to display  
16 the details of a selected invoice, which may cause the system to direct the user to an  
17 invoice detail section 610. The system may use one or more predetermined,  
18 customizable and/or selectable template schema to format the payer detail, and the  
19 system may provide a single payer multiple templates from which to select. The system  
20 may present detail using a selected language associated with the selected payer and/or  
21 user (which the system may be adapted to store as global information on the database).  
22 The invoice detail page may contain various sections. One section may display summary  
23 information for the selected invoice, information about the payer, information about the

1 particular invoice, and/or information about the biller. The system may provide  
2 selectable buttons for obtaining more information about the current invoice, e.g., items  
3 831, messages 832, e-mail 833, status 834, shipping info 835, discounts 836, and notes  
4 837. The system may display line items that have been adjusted in a different color.  
5 Upon selection by a user of the items button 831, the system may toggle the header view  
6 from showing a detailed header description to allowing the user to perform basic search  
7 operations on the details of this invoice. The items button 831 may cause the system to  
8 toggle to header. Clicking on the header button may cause the system to return to the  
9 previous view, thereby providing more space for viewing details on the current page, as  
10 follows. Another section may contain the line items that make up the invoice. The  
11 system may color code highlight line items that have been adjusted. Each line may have a  
12 clickable line number. Clicking a line item's number may cause the system to expand the  
13 line to show its detail. Clicking a particular adjustment may cause the system to display a  
14 window with details about that specific adjustment. Another section may contain the  
15 invoice summary. For both the original amount billed and the amount to pay, the system  
16 may calculate and display the following: gross total invoice; time conditional discount;  
17 other discount / charge; a general adjustments link (which may allow the general  
18 adjustment for the current invoice to be entered or edited); sales tax; other tax; and net  
19 amount due.

20 The system may, upon selection of the messages button 832, display a new  
21 browser window 842 displaying any messages defined by the biller system administrator  
22 for this payer. Selection of the discounts button 834 may cause the system to open a  
23 separate browser window 846 displaying additional discount information for the current

1 invoice, including, e.g., time conditional discount %; time conditional discount amount;  
2 time conditional discount date; invoice date; and unconditional discount or charge.

3 Selection of the shipping info button 835 may cause the system to display additional  
4 shipping information for this invoice in a separate browser window 845, including, e.g.,  
5 ship to location, date shipped, carrier, bill of lading number, terms, units, unit code,  
6 weight, volume, package dimensions, package contents, and notes. In addition to the  
7 invoice specific shipping information, the system may list courier websites specified by  
8 the biller system administrator as links to the websites of the shipping companies, for  
9 shipment tracking or other purposes. Selection of the notes button 837 may cause the  
10 system to open a separate browser window 847 containing a list of entered notes for this  
11 invoice. In the separate browser window, the system may allow the user to enter new  
12 notes into a new note textbox and save them by clicking an “add note” button. Clicking a  
13 “cancel” button may cause the system to return the user to the invoice detail page and  
14 discard any new notes. Selection of the e-mail button 833 may cause the system to open  
15 a separate browser window 843 with a new e-mail referencing the selected invoice. The  
16 system may allow the user to enter an e-mail message to selected users about the current  
17 invoice. The system may send e-mail to the recipients that are picked from the recipients  
18 list (which the system may be adapted to store as global information on the database), the  
19 contents of which may be based on the e-mail distribution list set up by the biller system  
20 administrator. Selection of the status button 834 may cause the system to open a separate  
21 browser window 844 displaying a page containing the status history for the selected  
22 invoice, including, e.g., date / time, user ID, and user name and status. The system may  
23 further provide adjustment buttons, e.g., general adjustment 838, quantity adjustment

1 839, price adjustment 840, and allowance 841, at the invoice detail 823 section. The  
2 system may permit a general adjustment button 838 to be selected to open a separate  
3 browser window 848 containing general adjustment information for this invoice. This  
4 information may be read only and may include the following exemplary items of  
5 information: adjustment amount, reason code, and notes. The system may permit a  
6 quantity adjustment button 839 to be selected for a specific invoice line item, which may  
7 cause the system to open a separate browser window 849 containing quantity adjustment  
8 information for that line item. This information may be read only and may include the  
9 following exemplary items of information: adjustment quantity, reason code, and notes.  
10 The system may permit a price adjustment button 840 to be selected for a specific invoice  
11 line item, which may cause the system to open a separate browser window 850  
12 containing price adjustment information for that line item. This information may include  
13 the following exemplary items of information: new price, reason code, and notes. The  
14 system may permit an allowance button 841 to be selected for a specific invoice line  
15 item, which may cause the system to open a separate browser window 851 containing  
16 allowance information for that line item. This information may be read only and may  
17 include the following exemplary items of information: allowance amount, reason code,  
18 and notes.

19 The system may make other options available to the payer system user for  
20 selection, e.g. an items button for displaying the invoice details in item view. The system  
21 may, upon selection of such a button, remove the header from the invoice details, and all  
22 but the net amount due field of the footer, thereby allowing more screen space to be used  
23 for the presentation of invoices. The system may provide a search function for



1 performing a search in the current invoice list. The system may permit only the invoices  
2 currently being displayed to be searched. The system may allow the user to type a string  
3 to search for before selecting the “Search” button. The system may search each invoice  
4 may for the specified string. If a match is found, the system may scroll the invoice record  
5 into view and select the text found. Selecting “Search” again may cause the system to  
6 find the next instance of the string. The system may permit wildcard searches. The  
7 system may provide clickable line numbers in the items view line, whereby upon clicking  
8 a line item’s number, the system may expand the line to show its invoices, and clicking a  
9 particular adjustment may cause the system to bring up a window with details about that  
10 specific adjustment.

11 The system may provide other selectable options, including a website button for  
12 opening a separate browser window containing links to biller-specific websites, and a  
13 biller info button for displaying a new browser window containing the biller information  
14 supplied for the current payer.

15 From the perspective of the payer system user, the system may identify an invoice  
16 as having one of the following exemplary states: presented, viewed (an invoice may be  
17 considered “viewed” when a invoice display query is built with the invoice included; the  
18 user does not necessarily need to actually see the invoice to have it considered viewed),  
19 verified (an invoice that is in this state may be rolled back to viewed given the user has  
20 the permission to verify), payment initiated, payment authorized, payment pending (an  
21 invoice in this state may be rolled back to verified given the user has the permission to  
22 authorize payment), paid, and closed.

1 As illustrated in the payer invoice/payments workflow diagram of Figure 9, if the  
2 payer system user selects invoice/payments 815, the system may direct him or her to  
3 further select from among invoice/payment selections, which may include, e.g., review  
4 invoice 901, initiate payment 902, approve/verify invoice 903, authorize payment 904,  
5 pending payment 905, payment history 906, and file export 907.

6 Selecting the review invoices 901 function may cause the system to direct the user  
7 to an invoice list 908, with appropriate links to invoice status 909, detail 823, and sorting  
8 910 pages. The invoice list 908, status 909, detail 823, and sorting 910 pages may be  
9 functionally identical to those described above with reference to Figure 8, at ciphers 821-  
10 851.

11 Selecting the approve/verify invoices 903 function may cause the system to direct  
12 the user to an approve/verify page 911 containing an invoice list, with appropriate links  
13 to invoice status 923, detail 823, and sorting 913 pages. The invoice list, status 923,  
14 detail 823, and sorting 913 pages may be functionally identical to those described above  
15 with reference to Figure 8, at ciphers 821-851. Via the invoice list shown, the system  
16 may permit the payer system user to view all invoices in the system that have not yet  
17 been approved for payment, subject to the criteria set in the view options page. The  
18 system may provide appropriate functionality to approve an individual invoice, approve a  
19 selection of invoices, or approve all invoices in the current extract. For any invoice in the  
20 extracted set, the system may permit the user to view the corresponding invoice detail  
21 page 823 or the invoice status page 923. Invoices included on this page may indicate one  
22 of the following exemplary states: presented, viewed, or adjusted. The system may  
23 provide appropriate functionality to confirm approval of an individual invoice or group of

1 invoices. The system may permit further selection of an “approve invoices” or “verify  
2 confirm” 914 page to permit the user to confirm the requested action.

3       Selecting the initiate payment 902 function may cause the system to direct the  
4 user to an initiate payment page 915 containing an invoice list, with appropriate links to  
5 invoice status 909, detail 823, and sorting 910 pages. The invoice list, status 909, detail  
6 823, and sorting 910 pages may be functionally identical to those described above with  
7 reference to Figure 8, at ciphers 821-851. Via the invoice list shown, the system may  
8 permit the payer system user to view all invoices in the system that have been approved  
9 for payment, subject to the criteria set in the view options page. The system may provide  
10 appropriate functionality to initiate payment for an individual invoice, a selection of  
11 invoices, or all invoices in the current extract. For any invoice in the extracted set, the  
12 system may also permit the user to view the corresponding invoice detail page 823 or the  
13 invoice status page 909. The system may display an “amount to pay” column, the  
14 amount shown being net of all applied credits and adjustments. The system may provide  
15 appropriate functionality to perform a cancel, which action may cause the system to roll  
16 back the status to viewed, detaching any applied credits if necessary. The system may  
17 permit the user to toggle between the discount date and the invoice due date. The system  
18 may set payment options to the default value established for the current biller / payer  
19 relationship. The system may page payments to accurately represent how the payment  
20 will be submitted. If the selection contains applied credit notes, the system may render  
21 each in a separate payment. The system may further permit the user to select a payment  
22 initiation selection page 916 to confirm the requested action, i.e. to confirm payment  
23 initiation of selected invoices in the system.

1           Selecting the authorize payment function 904 may cause the system to direct the  
2   user to an authorization page 917 containing an invoice list, with appropriate links to  
3   invoice status 912, detail 823, and sorting 913 pages. The invoice list, status 912, detail  
4   823, and sorting 913 pages may be functionally identical to those described above with  
5   reference to Figure 8, at ciphers 821-851. Via the invoice list shown, the system may  
6   permit the payer system user to view all invoices in the system that have had payment  
7   initiated, subject to the criteria set in the view options page. The system may permit the  
8   user to click on any check number to view details for that payment group. The system  
9   may further permit the payer system user to select check boxes next to payments to select  
10   those payments, and to click on an “authorize” button to authorize those selected  
11   payments. The system may further permit the user to click on an “authorize all” button to  
12   authorize all payments listed. The payment method may be the payment option selected  
13   for this transaction, and the initiator may be the user name of the user who authorized the  
14   payment. The system may permit the authorize stage to be automatically bypassed if the  
15   payment amount is less than a pre-selected threshold amount. The system may further  
16   permit the user to select an authorize payment confirmation page 919 to confirm the  
17   requested action, i.e. to confirm payment authorization of selected invoices in the system.

18           Selecting the pending payments 905 function may cause the system to direct the  
19   user to a pending payment page 918 containing an invoice list, with appropriate links to  
20   invoice status 912, detail 823, and sorting 913 pages. The invoice list, status 912, detail  
21   823, and sorting 913 pages may be functionally identical to those described above with  
22   reference to Figure 8, at ciphers 821-851. Via the invoice list shown, the system may  
23   permit the payer system user to view all pending payments in the system subject to the

1 criteria set in the view options page. The system may permit the user to click on any  
2 check number to view details for that payment group. The system may further permit the  
3 payer system user to select check boxes next to payments to select those payments, and to  
4 click on a “cancel” button to cancel the selected payments. The system may further  
5 permit the user to click on “cancel all payments” to cancel all payments listed. Canceling  
6 a pending payment may cause the system to roll the transaction back to the “verified”  
7 invoice state. The system may further permit the user to select a cancellation  
8 confirmation page 920 to confirm the requested action, i.e. to confirm canceling pending  
9 payments for selected invoices in the system.

10       Selecting the payment history 906 function may cause the system to direct the  
11 user to a payment history page 921, wherein the user may view all paid invoices in the  
12 system, referencing the corresponding check number, subject to the criteria set in the  
13 view options page. The system may provide an invoice history page 922, whereby the  
14 system may display an invoice history line for each invoice that meets the view options  
15 criteria. Selecting an invoice number link may cause the system to display the  
16 corresponding invoice detail page (e.g., as shown and described with respect to cipher  
17 823 of Figure 8). The system may provide an invoice status link for displaying a  
18 corresponding invoice status page (e.g. as shown and described with respect to cipher 844  
19 of Figure 8).

20       The system may permit the payer system user to select an export files function  
21 907, i.e., to download data directly from the server, bypassing the need to have the data  
22 flow through a transmission to the payer system user. Selecting the export files option  
23 907 may cause the system to direct the user to the invoice export section 923, from which

1 the user may either edit export templates or export files. Upon selection of edit export  
2 templates, the system may allow the payer system user to edit the templates used in file  
3 export. An export templates listbox may shows the present export templates while a  
4 template settings area may contain all the attributes and settings of the current selected  
5 template. Upon selection of a template from the export templates listbox, the system may  
6 populate the fields of the template settings area. In this area, the system may allow the  
7 payer system user to add, modify, or delete file export templates (which the system may  
8 be adapted to store as global information on the database) by using a set of buttons or  
9 controls. The set of invoices to be exported may be based on the invoices that are being  
10 viewed at the time export is chosen. The system may permit the user to set that filter  
11 through the filter/sort page. The template settings area may contain the following  
12 exemplary controls (which the system may be adapted to store as global information on  
13 the database): document type, document status, include (headers and/or line items), fields  
14 and export order (may contain a listbox of the available invoice fields and an ordered  
15 listbox of fields marked for export with two buttons for moving fields between listboxes;  
16 up and down buttons may allow the field export order to be changed), file formats (a  
17 listbox that allows the file format to be selected; if ASCII is chosen, the system may  
18 display a delimiter section and require the user to select field and record delimiters; file  
19 formats may include X12 810, "XML 810", PayBase™, and CSV). The system may  
20 provide a "set default" button for allowing the user to set the current template as the  
21 default template for the file export page. Upon selecting file export, the system may  
22 allow the payer system user to export invoices based on an export template. N the  
23 templates listbox, the system may show the present export templates while the export



1 As shown in the workflow diagrams of Figures 8 and 10, the system may permit  
 2 the payer system user to select a reports option 816, which may cause the system to  
 3 display subcategories that correspond to the available reports for selection. Exemplary  
 4 reports may include: cashflow forecasting 1001, payment history 1002, security  
 5 administrator statistics 1003, payer profile 1004, invoice summary 1005, discount 1006,  
 6 returned items 1007, outstanding invoice statistics 1008, and modified invoice summary  
 7 1009. The system may permit the user to select from among various reporting options  
 8 and/or filters 1010 (which the system may be adapted to store as global information on  
 9 the database), and the system may then generate a report for viewing and/or printing at a  
 10 report page 1011.

11 As shown in the workflow diagram of Figure 8, the system may permit a payer  
 12 system user to select a biller directory option for displaying a screen containing options  
 13 which, when selected, cause the system to direct the user to pages for viewing biller  
 14 websites and/or e-mail addresses 860 and a biller directory 861 (i.e. a list of available  
 15 billers in the system). From the biller directory 861, clicking on a biller's company name  
 16 may cause the system to bring the user to a URL set by the biller system administrator.

17 **Payer System Administration Workflow**

18 Figure 11 illustrates an exemplary payer system administration workflow in one  
 19 embodiment of the system. From the administration 1100 screen, the system may permit  
 20 a payer system administrator to select from among functions including, e.g., edit payer  
 21 profile 1101, edit banks 1102, edit users 1103, edit event e-mails 1104, edit biller  
 22 agreement 1105, and password change 1106.



1           Upon selection by the payer system administrator of the edit payer profile 1101  
2           function, the system may redirect the payer system administrator to a payer profile  
3           section 1107 for editing the payer's profile information. The system may permit  
4           company data to be entered and/or edited for the following exemplary fields (which the  
5           system may be adapted to store as global information on the database): name, address,  
6           city, state, zip, country, SIC code, TIN, organization type, show invoice list columns,  
7           language for local country presentation, and currency for payment. The system may  
8           provide additional functionality for displaying an "instant payment" interface and a  
9           default settlement dates selector. At the instant payment interface, the system may permit  
10          the administrator to edit the company's instant payment terms that are used for payment  
11          of invoices in the system. The system may allow a payer system administrator to  
12          establish a threshold payment amount for instant payment. If an invoice comes in with a  
13          value less than the threshold amount, the system may be adapted to immediately initiate  
14          and authorize the invoice. When the 810 is loaded, if an invoice is below the threshold  
15          amount, the system may immediately create a payment, place it in the pending queue, and  
16          initiate an audit trail. Instant payment data (which the system may be adapted to store as  
17          global information on the database) may include the following exemplary fields: Instant  
18          payment (enabled/disabled), threshold amount, default account, default method of  
19          payment, and default settlement date (due date or discount date). The default settlement  
20          date may cause the system to provide additional functionality for the payer of having the  
21          settlement date by default be the due date to receive discounts. The system may provide  
22          the user the ability to change that date.

1           Upon selection by the payer system administrator of the edit banks 1102 function,  
2 the system may redirect the payer system administrator to a payer bank editing section  
3 1109 for allowing the bank information associated with the payer to be edited. It is  
4 contemplated that a payer may have multiple banks with each bank having multiple bank  
5 accounts. An exemplary edit banks 1109 section may be separated into three sections. In  
6 the first section, the system may display a list-box containing all the banks associated  
7 with the current payer. Selecting a bank from this list may cause the system to set the  
8 context for all other sections and fields of the page. For the selected bank, the system  
9 may display in a second section the following exemplary fields (which the system may be  
10 adapted to store as global information on the database): name, address, city, state, zip  
11 code, country, country#, account # and RTN. The system may use a MOD9 or similar  
12 algorithm to verify valid routing numbers. The system may provide a delete button,  
13 which may cause the system to display a confirmation message before deleting the  
14 selected bank. Selecting a modify button may cause the system to update the existing  
15 bank information with the modified data. Selecting an add button may cause the system  
16 to add the current bank information as a new bank. The system may require that the bank  
17 name and account # be unique. Pressing a "set default" button may cause the system to  
18 set the current bank as the default bank for making payments. In a third section, the  
19 system may display for the selected bank a "holidays" list-box populated with all bank  
20 holidays associated with this bank. Selecting an existing bank holiday from this list box,  
21 followed by the selection of a "delete" button, may cause the system to delete the selected  
22 bank holiday. The system may provide combo-boxes for month, day and year selection.  
23 Selecting an add button may cause the system to add the selected date to the holiday list-

1 box. If a bank is added with, or is caused to have no holidays through later modification,  
2 the system may display a warning to the user. The system may be adapted to store  
3 holiday data as global information on the database.

4 The system may permit a payer system administrator to select a “users” 1103  
5 function, wherein the system may direct the administrator to an edit user section 1110. In  
6 this section, the system may permit the administrator to add, modify or delete users  
7 associated with the current payer. At this page, the system may display the name of the  
8 payer at the top to establish the context of the edit. The system may populate a list box  
9 with the selected payer system’s user names. As the administrator clicks on each user, the  
10 system may display the user’s information in a user information section. The system may  
11 permit the administrator to add a new user to the current payer by entering information  
12 into the user information section. The system may require that the combination of last  
13 name, middle initial and first name be unique. The system may permit modify and delete  
14 operations to be performed on the currently selected user. The system may provide a  
15 checkbox for temporarily deactivating a user. Contact information (which the system  
16 may be adapted to store as global information on the database) may be maintained,  
17 including, e.g., last name, first, middle, phone, fax, e-mail, e-mail2, user ID, password  
18 and confirmation. The system may require certain fields for user information, such as last  
19 name, first name, e-mail and phone. The system may provide a reset password button for  
20 resetting the selected user’s password to the default setting. The system may  
21 automatically send an e-mail to a new user after they have been added, telling the user  
22 that they have 24 hours to log in and change their password or the account will be  
23 disabled (e.g. where the password is set to the default of user’s last name; the system may

1 permit accounts to be re-enabled by a payer system administrator). The e-mail may also  
2 tell the user how to connect and logon to the system. The system may provide an  
3 “assigned billers” button for accessing the edit assigned billers page 1111, where the  
4 administrator may assign billers to the current user. At this page, the system may display  
5 the name of the payer and user at the top to establish the context of the edit. At this page,  
6 the system may display a list-box that contains all billers currently assigned to the  
7 current user and a list-box that contains all billers currently not assigned to the current  
8 user. The system may provide two buttons to allow billers to be added or removed from  
9 the assigned list. The system may provide a “permissions” button for permitting access  
10 to the permissions page 1112, wherein the system may permit a user's permission scope  
11 to be narrowed to an organizational subset of the assigned biller. At this page, the system  
12 may allow the administrator to modify permissions associated with the current user. At  
13 this page, the system may display the name of the biller and user at the top to establish  
14 the context of the edit. At this page, the system may display a list of permissions  
15 available to the currently selected user. The system may determine the permissions  
16 available by the permissions available to the current administrator. Permissions (which  
17 the system may be adapted to store as global information on the database) may be  
18 inherited. The system may display in a list of permissions the organizational defined  
19 nodes. A single node may be assigned to the user. By default, a user may have full  
20 permissions. The system may permit the desired permission set to be selected for the user  
21 and then saved with a “save” button. The system may provide a “cancel” button for  
22 exiting and discarding all changes. The system may provide a number of pre-defined  
23 payer privilege profiles to simplify the security model. The system may permit the

- 1 administrator user to choose one of these to give a new user a particular set of  
2 permissions. From there, the system may allow permissions for that user to be altered.  
3 Exemplary pre-defined payer privilege profiles (which may be stored as global  
4 information on the database) may include:
- 5 • Security Administrator: May have all payer profile and administration permissions,  
6 including the ability to set-up and delete ID's, bank accounts and the payer profile  
7 itself. The system may not allow this ID to be connected to any billers or any  
8 processing permissions. The system may permit this ID access to the security  
9 administration report only. The system may permit this ID only to be set-up by  
10 the system SuperUser.
  - 11 • Receiving Supervisor: May be provided with a button called "adjust an invoice".  
12 With this new button, the system may permit a receiving administrator to be able  
13 to review an invoice and make changes. However, the system may restrict change  
14 permissions to quantity adjustments only. The system may link or map this type  
15 of ID to an individual biller or group of billers.
  - 16 • Purchasing Manager: May be provided with the buttons for list all invoices; approve  
17 invoices (keeping all adjustment capabilities intact); pending payments without  
18 the cancel payment privilege; invoice history and biller directories. The system  
19 may permit all these permissions to be filtered by biller if the ID were assigned to  
20 a particular biller or subset of billers.
  - 21 • Payables Administrator: May have permissions for initiate payments, with one new  
22 feature, the ability to create a general invoice adjustment only prior to creating a  
23 payment order; pending payments without the cancel payment privilege and

1 payment history. The system may permit all these buttons to be filtered by bank  
 2 account and biller if the ID were assigned to a particular subset of bank accounts  
 3 and/or billers. The system may assign this ID the following reports: return items.

4 • Payables Manager: May have permissions for authorize payments; pending payments  
 5 with cancel payment permissions; payment history; invoice history; payer profile  
 6 and biller directories. The system may allow this role to be filtered using dollar  
 7 amount and may assign this ID the following reports: return items.

8 • Controller: May have permissions for list all invoices; pending payments without  
 9 cancel payment permissions; payment history; and invoice history. The system  
 10 may assign this ID the following reports: cashflow forecasting; outstanding  
 11 invoices; discount management; adjusted invoice history and security  
 12 administrator

13 • Cash Manager: May have permissions for pending payments without cancel payment  
 14 permissions. The system may assign this ID the following reports: cashflow  
 15 forecasting report.

16 • Payables Systems Administrator: May be responsible for managing the daily file  
 17 export routine for both unpaid invoices and payments.

18 Upon selection by the payer system administrator of the event e-mails 1104  
 19 function, the system may redirect the payer system administrator to an event e-mail  
 20 section 1113. In this section, the system may permit a list of payer system users to be  
 21 associated with specific system events. Any time one of these specific events occurs, the  
 22 system may generate an automatic e-mail and send it to the selected list of payer system  
 23 users. For example, exemplary distribution list choices may include: invoices loaded

1 successfully, invoices approved, payment initiated, payment authorized, payment  
 2 canceled, and payment completed. The system may display at the this page a list-box  
 3 that contains all payer system users currently in the selected distribution list and a list-box  
 4 that contains all payer system users currently not in the selected distribution list. In one  
 5 embodiment, the system may provide two buttons to allow users to be added or removed  
 6 from the distribution list. The system may allow a default e-mail address to be set up for  
 7 each event, e.g. the payer system administrator.

8         Selecting edit biller agreement 1105 may cause the system to direct the payer  
 9 system administrator to an edit biller agreement page 1114, from which the payer system  
 10 administrator may access such exemplary pages as biller organization 1115, options  
 11 1116, and biller e-mail 1117.

12         The system may provide a biller organization page 1115 to address the enterprise  
 13 organizational model, the goal being to simulate the business structure of an enterprise so  
 14 that the proper people can have access to and see the appropriate information. Although  
 15 business organizations are hierarchical by definition, this structure may be too complex  
 16 for the intended system implementation. Moreover, much of what makes up an  
 17 organizational hierarchy is not passed as an attribute of an invoice transaction. Instead,  
 18 what may be implemented supports the specificity of the hierarchical organization, while  
 19 at the same time assuming no structure. For example, a biller organization might consist  
 20 of company, department, region, division or store units. Assuming that these fields are  
 21 populated within the invoice transactions of the system, the system may permit  
 22 permission sets to be defined, each permission set being for assigning and establishing  
 23 data access rights to specific users. Each permission set may contain one or more

1 uniquely defined combinations. Three exemplary permission sets might be: Set #1 (Store  
2 #1, Store #2, Store #3); Set #2 (Store #4, Store #5, Store #6); and Set #3 (Division #1,  
3 Division #2). At the biller's organization page, the system may display a list-box  
4 containing all the billers related to the current payer. The system may pre-select by  
5 default the most recently selected biller in this session. If no biller has previously been  
6 selected, then the system may not pre-select any biller from the list-box. For the selected  
7 biller, the system may display the list of defined organizational elements or permission  
8 sets. The system may provide buttons to add, remove and modify an entry, and may  
9 further provide an edit control to allow editing of the name of the entry. The system may  
10 display a second list-box containing the specific data values that make up the  
11 organizational element for the selected biller. A data value may be made up of the field  
12 identifier and the field value. The system may provide a combo-box that allows the user  
13 to select the field identifier, and the system may provide an edit control to allow the user  
14 to enter the field value. The system may provide buttons to add, remove and modify an  
15 entry from this list. The system may be adapted to store biller organization data as global  
16 information on the database.

17       Selecting the options function may cause the system to allow the payer system  
18 administrator to establish options for a specific biller using a biller options page 1116. At  
19 the biller options page, the system may display a list-box containing all the billers related  
20 to the payer. The system may pre-select by default the most recently selected biller in this  
21 session. If no biller has previously been selected, the system may not pre-select any biller  
22 from the list-box. For the selected biller, the system may display the biller options.  
23 Exemplary biller options may include: payment methods and account.



1           Selecting the biller e-mail function may cause the system to allow the payer  
 2   system administrator to associate a list of payer system users with a specific biller using a  
 3   biller e-mail page 1117. At the biller e-mail page, the system may display a list-box with  
 4   all the billers related to the payer. The system may pre-select the most recently selected  
 5   biller in this session by default. If no biller has previously been selected, the system may  
 6   not pre-select any biller from the list-box. For the selected biller, the system may display  
 7   at this page a list-box that contains all payer system users currently related to the biller  
 8   and a list-box that contains all payer system users currently unrelated to the biller. The  
 9   system may provide two buttons to allow users to be added or removed from the related  
 10   list. The system may be adapted to store the foregoing associations as global information  
 11   on the database.

12           The system may provide a password change button 1106, for directing the payer  
 13   system administrator to a password change section 1120 for changing password  
 14   information.

15                           **Alternative Embodiments**

16           It will be appreciated by those skilled in the art that although the functional  
 17   components of the exemplary embodiments of the system of the present invention  
 18   described herein may be embodied as one or more distributed computer program  
 19   processes, data structures, dictionaries or other stored data on one or more conventional  
 20   general purpose computers (e.g. IBM-compatible, Apple Macintosh, and/or RISC  
 21   microprocessor-based computers), mainframes, minicomputers, conventional  
 22   telecommunications (e.g. modem, DSL, satellite and/or ISDN communications), memory  
 23   storage means (e.g. RAM, ROM) and storage devices (e.g. computer-readable memory,

1 disk array, direct access storage) networked together by conventional network hardware  
2 and software (e.g. LAN/WAN network backbone systems and/or Internet), other types of  
3 computers and network resources may be used without departing from the present  
4 invention. One or more networks discussed herein may be a local area network, wide  
5 area network, internet, intranet, extranet, proprietary network, virtual private network, a  
6 TCP/IP-based network, a wireless network, an e-mail based network of e-mail  
7 transmitters and receivers, a modem-based telephonic network, an interactive telephonic  
8 network accessible to users by telephone, or a combination of one or more of the  
9 foregoing.

10 The invention as described herein may be embodied in a computer residing on a  
11 network transaction server system, and input/output access to the invention may comprise  
12 appropriate hardware and software (e.g. personal and/or mainframe computers  
13 provisioned with Internet wide area network communications hardware and software (e.g.  
14 CQI-based, FTP, Netscape Navigator<sup>TM</sup> or Microsoft Internet Explorer<sup>TM</sup> HTML Internet  
15 browser software, and/or direct real-time TCP/IP interfaces accessing real-time TCP/IP  
16 sockets) for permitting human users to send and receive data, or to allow unattended  
17 execution of various operations of the invention, in real-time and/or batch-type  
18 transactions. Likewise, the system of the present invention may be a remote internet-  
19 based server accessible through conventional communications channels (e.g.  
20 conventional telecommunications, broadband communications, wireless  
21 communications) using conventional browser software (e.g. Netscape Navigator<sup>TM</sup> or  
22 Microsoft Internet Explorer<sup>TM</sup>). Thus, the present invention may be appropriately  
23 adapted to include such communication functionality and internet browsing ability.

1 Additionally, those skilled in the art will recognize that the various components of the  
2 server system of the present invention may be remote from one another, and may further  
3 comprise appropriate communications hardware/software and/or LAN/WAN hardware  
4 and/or software to accomplish the functionality herein described.

5 Each of the functional components of the present invention may be embodied as  
6 one or more distributed computer program processes running on one or more  
7 conventional general purpose computers networked together by conventional networking  
8 hardware and software. Each of these functional components may be embodied by  
9 running distributed computer program processes (e.g., generated using "full-scale"  
10 relational database engines such as IBM DB2<sup>TM</sup>, Microsoft SQL Server<sup>TM</sup>, Sybase SQL  
11 Server<sup>TM</sup>, Oracle 7.3<sup>TM</sup>, or Oracle 8.0<sup>TM</sup> database managers, and/or a JDBC interface to  
12 link to such databases) on networked computer systems (e.g. comprising mainframe  
13 and/or symmetrically or massively parallel computing systems such as the IBM SB2<sup>TM</sup>  
14 or HP 9000<sup>TM</sup> computer systems) including appropriate mass storage, networking, and  
15 other hardware and software for permitting these functional components to achieve the  
16 stated function. These computer systems may be geographically distributed and  
17 connected together via appropriate wide- and local-area network hardware and software.  
18 In one embodiment, program data may be made accessible to the user via standard SQL  
19 queries for analysis and reporting purposes.

20 Primary elements of the invention may be server-based and may reside on  
21 hardware supporting an operating system such as Microsoft Windows NT/2000<sup>TM</sup> or  
22 UNIX. Clients may include a PC that supports Apple Macintosh<sup>TM</sup>, Microsoft Windows  
23 95/98/NT/ME/2000<sup>TM</sup>, a UNIX Motif workstation platform, or other computer capable

1 of TCP/IP or other network-based interaction. In one embodiment, no software other  
2 than a web browser may be required on the client platform.

3 Alternatively, the aforesaid functional components may be embodied by a  
4 plurality of separate computer processes (e.g. generated via dBase™, Xbase™, MS  
5 Access™ or other “flat file” type database management systems or products) running on  
6 IBM-type, Intel Pentium™ or RISC microprocessor-based personal computers  
7 networked together via conventional networking hardware and software and including  
8 such other additional conventional hardware and software as may be necessary to permit  
9 these functional components to achieve the stated functionalities. In this alternative  
10 configuration, since such personal computers typically may be unable to run full-scale  
11 relational database engines of the types presented above, a non-relational flat file “table”  
12 (not shown) may be included in at least one of the networked personal computers to  
13 represent at least portions of data stored by a system according to the present invention.  
14 These personal computers may run the Unix, Microsoft Windows NT/2000™ or  
15 Windows 95/98/ME™ operating systems. The aforesaid functional components of a  
16 system according to the present invention may also comprise a combination of the above  
17 two configurations (e.g. by computer program processes running on a combination of  
18 personal computers, RISC systems, mainframes, symmetric or parallel computer systems,  
19 and/or other appropriate hardware and software, networked together via appropriate  
20 wide- and local-area network hardware and software).

21 A system according to the present invention may also be part of a larger  
22 computerized financial transaction system comprising multi-database or multi-computer  
23 systems or “warehouses” wherein other data types, processing systems (e.g. transaction,

1 financial, administrative, statistical, data extracting and auditing, data  
 2 transmission/reception, and/or accounting support and service systems), and/or storage  
 3 methodologies may be used in conjunction with those of the present invention to achieve  
 4 an overall information management, processing, storage, search, statistical and retrieval  
 5 solution for a particular lock box service provider, e-payment warehouser, biller  
 6 organization, financial institution, payment system, commercial bank, and/or for a  
 7 cooperative or network of such systems.

8 In one embodiment, source code may be written in an object-oriented  
 9 programming language using relational databases. Such an embodiment may include the  
 10 use of programming languages such as C++. Other programming languages which may  
 11 be used in constructing a system according to the present invention include Java, HTML,  
 12 Perl, UNIX shell scripting, assembly language, Fortran, Pascal, Visual Basic, and  
 13 QuickBasic. Those skilled in the art will recognize that the present invention may be  
 14 implemented in hardware, software, or a combination of hardware and software.

15 The translation or mapping of EDI-type financial data, particularly of the X12,  
 16 UN/EDIFACT, and NACHA formats, as discussed herein, is provided herein only as an  
 17 example of transaction data capable of interacting with the invention and should not be  
 18 construed so as to limit the use of the invention solely in such a setting. While the  
 19 discussion herein presumes the use of the invention with respect to EDI, transactional, or  
 20 financial data, it is anticipated that the invention may have utility in other contexts, as  
 21 well.

22 Payment options such as ACH debits, credit or procurement card payments,  
 23 and/or paper checks may be provided. For ACH debits, a 24 hour settlement window

1 may be required, in which case the payment must be sent to the receiving financial  
2 institution 24 hours prior to the settlement date specified by the payer system user. If an  
3 ACH debit fails, an ACH return file may be sent from the financial institution, in which  
4 case the file is loaded and each transaction may be matched against invoices with the  
5 status of paid. When there is a match, the invoice in question may be reopened and rolled  
6 back to the status of "verified". Paper checks may be generated internally or by an  
7 external software module, wherein an output file in a format capable of being read by the  
8 external module may be generated. Payment by a payer system user using a credit or  
9 procurement card may also be effected, to be processed by internet or other means. In  
10 this scenario, additional security levels may be included, e.g., for initiating credit card  
11 payments (along with a dollar amount limit) and approving credit card payments, and  
12 such appropriate credit card payment processing functionality as may be appropriate may  
13 be included, as well.

14 It should also be appreciated from the outset that one or more of the functional  
15 components may alternatively be constructed out of custom, dedicated electronic  
16 hardware and/or software, without departing from the present invention. Thus, the  
17 present invention is intended to cover all such alternatives, modifications, and equivalents  
18 as may be included within the spirit and broad scope of the invention as defined only by  
19 the hereinafter appended claims.

20 It should be recognized by those skilled in the art that the present invention may  
21 have utility in contexts other than invoice payment, and that the parties to transactions  
22 handled by the invention may be entities other than payers and billers/payees in a  
23 vendor/vendee context. For example, the invention may be used in bank-to-bank

1 transactions, bank-to-consumer transactions, consumer-to-consumer transactions, and any  
2 other financial transactional setting.

3 Exemplary message definitions and corresponding business objects in one  
4 embodiment of the invention are listed in the table below along with a brief description of  
5 the functions performed by each, wherein exemplary business objects include  
6 AccountMgr, Adjustment, Agreement, Audit, ErrorHandler, FileExport, FinInstMgr,  
7 GetFinTrans, GetInvoices, GetPayments, HolidayMgr, InvoiceInfo, LoginManager,  
8 MsgManager, and MsgUtils:

<u>Message</u>	<u>Business Object</u>	<u>Description</u>
AddAccount	AccountMgr	Adds account to a given financial institution.
DeleteAccount	AccountMgr	Delete account(s) from financial institution.
GetAccountFinInst	AccountMgr	Retrieves financial institution according to account ID.
UpdateAccount	AccountMgr	Update a financial institution's account information.
AssignBillerAdjustmentCodeList	Adjustment	Take in either a list of Adjustment Code Ids or a set of AssignBillerAdjustmentCode messages and add the whole list to the biller ID provided
RemoveBillerAdjustmentCodeList	Adjustment	Take in either a list of Biller Adjustment Code Ids or a set of RemoveBillerAdjustmentCode messages and remove the whole list from the biller ID provided
AssignPayerAdjustmentCodeList	Adjustment	Take in either a list of Adjustment Code Ids or a set of AssignPayerAdjustmentCode messages and add the whole list to the payer ID provided
RemovePayerAdjustmentCodeList	Adjustment	Take in either a list of Payer Adjustment Code Ids or a set of RemovePayerAdjustmentCode messages and remove the whole list from the payer ID provided
GetPayerAdjustmentCodeList	Adjustment	Return a PayerAdjustmentCodeList of all codes assigned to the payer for a given biller
GetAdjustmentCodeList	Adjustment	Return an AdjustmentCodeList of all codes that are non-biller specific
AddAdjustmentCode	Adjustment	Add a new adjustment code
DeleteAdjustmentCode	Adjustment	Delete an existing adjustment code. Does not check to see if assigned anywhere else, does not update biller/payer adjustment code tables
UpdateAdjustmentCode	Adjustment	Update an adjustment code specified by ID
GetGeneralAdjustmentList	Adjustment	Get a GeneralAdjustmentList of all general adjustments for the given Invoice ID
AddGeneralAdjustment	Adjustment	Add a general adjustment for a given invoice ID, update the agreement counters, and mark the invoice as having been adjusted
UpdateGeneralAdjustment	Adjustment	Update a general adjustment for a given invoice ID, update the agreement

		counters, and mark the invoice as having been adjusted
DeleteGeneralAdjustment	Adjustment	Delete a general adjustment for a given invoice ID, update the agreement counters, and check if there are still adjustments for this invoice, else unmark the invoice as having been adjusted
GetLineItemAdjustmentList	Adjustment	Get a LineItemAdjustmentList for a given LineItemDetail
AddLineItemAdjustment	Adjustment	Add a new LineItemAdjustment to the given LineItemDetail by the ID provided and update the agreement counters and the grossAdjustedTotal amount and the adjusted flag on the invoice
DeleteLineItemAdjustment	Adjustment	Delete a LineItemAdjustment from the given LineItemDetail by the ID provided and update the agreement counters and the grossAdjustedTotal amount and the adjusted flag on the invoice
UpdateLineItemAdjustment	Adjustment	Update a LineItemAdjustment for the given LineItemDetail by the ID provided and update the agreement counters and the grossAdjustedTotal amount and the adjusted flag on the invoice
AssignPayerAdjustmentCode	Adjustment	Assign an AdjustmentCode to the given payer Id while also providing the biller ID
RemovePayerAdjustmentCode	Adjustment	Remove an adjustment code from a payer using the given PayerAdjustmentCode ID
GetBillerAdjustmentCodeList	Adjustment	Get a BillerAdjustmentCodeList by the provided biller ID
AssignBillerAdjustmentCode	Adjustment	Assign / Create an adjustment code for a biller. If an adjustment code is provided, it is assumed to be accurate and the relation is set up in the BillerAdjustmentCode table. If there is no adjustment code ID provided, the info for creating one can be provided for a biller-specific adjustment code and it will establish the relation in BillerAdjustmentCode and the entry in AdjustmentCode
RemoveBillerAdjustmentCode	Adjustment	Remove an adjustment code from a biller. If it is a biller-specific code, also remove it from the AdjustmentCode table
UpdateBillerAdjustmentCode	Adjustment	Update the values in an existing BillerAdjustmentCode
DisplayAdjCode	Adjustment	Get adjustment codes for any biller or agreement
AddAgreement	Agreement	Add an agreement for a biller and payer ID combo to the system. Must have a biller ID, payer ID, customer number, and biller number
DeleteAgreement	Agreement	Remove an agreement for a biller and a payer from the system
UpdateAgreement	Agreement	Update the values in an agreement
GetPayersForBillerNumber	Agreement	Get all of the Payers with agreements for this biller number
GetNonPayersForBillerNumber	Agreement	Get all of the Payers who do not have agreements with this biller number
GetPayersForBillerID	Agreement	Get all of the Payers with agreements for this biller ID
GetNonPayersForBillerID	Agreement	Get all of the Payers who do not have agreements with this biller ID
GetBillersForPayerID	Agreement	Get all of the Billers with agreements for this payer ID
GetNonBillersForPayerID	Agreement	Get all of the Billers who do not have agreements with this payer ID
DeleteAgreementList	Agreement	Remove the agreements for the list of agreement IDs provided
GetAgreementList	Agreement	Get agreement list based on any filter
GetPayerAgreementList	Agreement	Returns InvoiceReviewUI Entity with payer and agreement info
GetBillerAgreementList	Agreement	Returns InvoiceReviewUI Entity with biller and agreement info
AddAuditMsgBulk	Audit	Takes a list of audit messages and inserts them into the database. Note audit messages can be of type: GENERAL, SYSTEM, SECURITY.
AddAuditMsg	Audit	Adds an audit message to the database. Note audit messages can be of type: GENERAL, SYSTEM, SECURITY.
DeleteAuditMsg	Audit	Deletes an audit message from the database.



GetAuditMsgList	Audit	Gets a list of audit messages from the database
PostErrorMsg	ErrorHandler	Post an error message via the Selector.
PostError	ErrorHandler	Posts an error message directly, without a call through the Selector. The function uses ADO to access the database, instead of the standard engine calls.
ExportUnapprovedInvoicesToCSVFile	FileExport	Exports a list of unapproved invoices to character delimited file format.
ExportUnauthorizedPaymentsToCSVFile	FileExport	Exports a list of unauthorized payments to a character delimited file format.
ExportUnapprovedInvoicesToXMLFile	FileExport	Exports a list of unapproved invoices to an XML file.
ExportUnauthorizedPaymentsToXMLFile	FileExport	Exports a list of unauthorized payments to an XML file.
AddFinInst	FinInstMgr	Adds a financial institution to the system.
DeleteFinInst	FinInstMgr	Deletes a financial institution from the system.
UpdateFinInst	FinInstMgr	Updates a financial institution.
GetFinInstList	FinInstMgr	Retrieves a financial institution list for a given biller, or payer.
DisplayAccount	FinInstMgr	Get account lists for any filter
DisplayBankList	FinInstMgr	Get current bank info
GetFinTranList	GetFinTrans	Get a FinTranList. Can either provide where and orderby info or a list of FinTran Ids
GetFinTran	GetFinTrans	Get a specific FinTran by ID
GetFinTranReviewList	GetFinTrans	A light UI based method for getting FinTrans with a single invoice and payment
GetInvoiceList	GetInvoices	Get an InvoiceList. Can either provide where and orderby info or a list of Invoice Ids
GetInvoicesForPayment	GetInvoices	Get an InvoiceReviewUIList for a given paymentId
GetInvoiceHistory	GetInvoices	Get a FinTranList for payments which were batched more than 60 days ago, then display the invoices for them
GetInvoiceReviewList	GetInvoices	Get a InvoiceReviewUIList. Can either provide where and orderby info or a list of Invoice Ids
GetInvoice	GetInvoices	Get a specific Invoice by ID
GetPaymentReviewList	GetPayments	Get a PaymentReviewUIList. Can either provide where and orderby info or a list of Payment Ids
GetPaymentList	GetPayments	Get a FinTranList. Can either provide where and orderby info or a list of Payment IDs. Used FinTranList so Xpath filter could work against any criteria under it

GetPaymentHistory	GetPayments	Get a FinTranList for payments which were batched more than 60 days ago, then display the payments for them
AddHoliday	HolidayMgr	Adds a holiday to a specified financial institution.
UpdateHoliday	HolidayMgr	Updates a holiday entry in the database with new information.
DeleteHoliday	HolidayMgr	Removes a holiday from a financial institution.
GetHolidayList	HolidayMgr	Gets a list of holidays for a given financial institution.
ValidateSettlementDate2	HolidayMgr	This function can be called directly from any component without the Selector. It takes a date, and a financial institution ID. If the date is a holiday or a weekend then the next possible workday is returned. Otherwise the original date is returned in string form.
ValidateSettlementDate	HolidayMgr	If the date is a holiday or a weekend then the next possible workday is returned. Otherwise the original date is returned in the XML message parameter.
GetInvoiceCountsForUser	InvoiceInfo	Get invoice counts for the following: Invoices due today, Invoices due tomorrow, Invoices that lose discount today, Invoices that lose discount tomorrow, and Invoices that are past due. Uses the stored proc GetInvoiceInfo and passes back the counts and the Xpath to select the data set which is placed in the payer front screen hyperlinks for the counts
GetInvoiceStatusList	InvoiceInfo	Get the InvoiceStatus change entries for a given Invoice ID
AddInvoiceStatus	InvoiceInfo	Add a new InvoiceStatus record for an invoice ID
Login	LoginManager	Logs a user into the system, passing it a user name, and password. The user will be authenticated against his/her domain credentials as well as the NetTransact database information.
Logoff	LoginManager	User logs off according to his/her session ID. A session ID is needed as part of the formal message command.
DispatchMsg	MsgManager	Dispatches a message to the selector. If session information is needed, then the parameters in the original message body are filled in.
GetPayerBillerAdjustmentCodesWithAssigned	MsgUtils	Get a BillerAdjustmentCodeList for the biller supplied, match the PayerAdjustmentCodes for the payer supplied to the BillerAdjustmentCodes and set the assigned attribute on the BillerAdjustmentCodeList where there is a match. Gives a single list for what biller adjustment codes are available and which have been assigned to the payer
GetPayerAdjustmentCodesWithAssigned	MsgUtils	Get all AdjustmentCodes in an AdjustmentCodeList and match the PayerAdjustmentCodes for the payer supplied to the AdjustmentCodes and set the assigned attribute on the AdjustmentCodeList where there is a match. Gives a single list for what adjustment codes are available and which have been assigned to the payer
GetBillerAdjustmentCodesWithAssigned	MsgUtils	Get all AdjustmentCodes in an AdjustmentCodeList and match the BillerAdjustmentCodes for the biller supplied to the AdjustmentCodes and set the assigned attribute on the AdjustmentCodeList where there is a match. Gives a single list for what adjustment codes are available and which have been assigned to the biller

1

2

What is claimed is:

3